

# RDKB-20190206 RPI Broadband License Manifest Report

*DISCLAIMER - the information in the table below is based on Yocto recipe license fields and was not verified to be accurate. As such, the license definition is not guaranteed to be accurate. Additionally, a component can change license and that change may not be captured in the Yocto recipe. By accepting this report the licensee acknowledges and agrees that RDK Management LLC does not provide any warranties, assume any liabilities or provide any indemnifications to the licensee in respect of the information included herein.*

For additional information on licenses, refer to [SPDX Licenses](#).

| Component           | License(s)         | Version                | Recipe Name         |
|---------------------|--------------------|------------------------|---------------------|
| apm                 | GPLv2+             | 3.2.2-15               | apmd                |
| apmd                | GPLv2+             | 3.2.2-15               | apmd                |
| avro-c              | Apache-2.0         | 1.8.1                  | avro-c              |
| base-files          | GPLv2              | 3.0.14                 | base-files          |
| base-passwd         | GPLv2+             | 3.5.29                 | base-passwd         |
| bash                | GPLv2+             | 3.2.57                 | bash                |
| breakpad-wrapper    | Apache-2.0         | rdkb-20190206+git999   | breakpad-wrapper    |
| bridge-utils        | GPLv2              | 1.5                    | bridge-utils        |
| busybox             | GPLv2 & bzip2      | 1.24.1                 | busybox             |
| busybox-syslog      | GPLv2 & bzip2      | 1.24.1                 | busybox             |
| busybox-udhcp       | GPLv2 & bzip2      | 1.24.1                 | busybox             |
| ca-certificates     | GPL-2.0+ & MPL-2.0 | 20160104               | ca-certificates     |
| ccsp-cm-agent       | Apache-2.0         | rdkb-20190206+git999   | ccsp-cm-agent       |
| ccsp-cm-agent-ccsp  | Apache-2.0         | rdkb-20190206+git999   | ccsp-cm-agent       |
| ccsp-common-library | Apache-2.0         | rdkb-20190206+git999   | ccsp-common-library |
| ccsp-common-startup | Apache-2.0         | rdkb-20190206+git999   | ccsp-common-library |
| ccsp-cr             | Apache-2.0         | rdkb-20190206+git999   | ccsp-cr             |
| ccsp-cr-ccsp        | Apache-2.0         | rdkb-20190206+git999   | ccsp-cr             |
| ccsp-dmcli          | Apache-2.0         | rdkb-20190206+git999   | ccsp-dmcli          |
| ccsp-dmcli-ccsp     | Apache-2.0         | rdkb-20190206+git999   | ccsp-dmcli          |
| ccsp-epon-agent     | Apache-2.0         | rdkb-20190206+git999   | ccsp-epon-agent     |
| ccsp-gwprovapp      | Apache-2.0         | rdkb-20190206+git999   | ccsp-gwprovapp      |
| ccsp-home-security  | Apache-2.0         | rdkb-20190206+git999   | ccsp-home-security  |
| ccsp-hotspot        | Apache-2.0 & ISC   | rdkb-20190206+git999   | ccsp-hotspot        |
| ccsp-lm-lite        | Apache-2.0         | rdkb-20190206+git999   | ccsp-lm-lite        |
| ccsp-lm-lite-ccsp   | Apache-2.0         | rdkb-20190206+git999   | ccsp-lm-lite        |
| ccsp-logagent       | Apache-2.0         | rdkb-20190206+git999   | ccsp-logagent       |
| ccsp-misc           | Apache-2.0         | rdkb-20190206+git999   | ccsp-misc           |
| ccsp-misc-ccsp      | Apache-2.0         | rdkb-20190206+git999   | ccsp-misc           |
| ccsp-mta-agent      | Apache-2.0         | rdkb-20190206+git999   | ccsp-mta-agent      |
| ccsp-mta-agent-ccsp | Apache-2.0         | rdkb-20190206+git999   | ccsp-mta-agent      |
| ccsp-p-and-m        | Apache-2.0         | rdkb-20190206+git999   | ccsp-p-and-m        |
| ccsp-p-and-m-ccsp   | Apache-2.0         | rdkb-20190206+git999   | ccsp-p-and-m        |
| ccsp-psm            | Apache-2.0         | rdkb-20190206+git999   | ccsp-psm            |
| ccsp-psm-ccsp       | Apache-2.0         | rdkb-20190206+git999   | ccsp-psm            |
| ccsp-snmp-pa        | Apache-2.0         | rdkb-20190206+git999   | ccsp-snmp-pa        |
| ccsp-snmp-pa-ccsp   | Apache-2.0         | rdkb-20190206+git999   | ccsp-snmp-pa        |
| ccsp-tr069-pa       | Apache-2.0         | rdkb-20190206+git999   | ccsp-tr069-pa       |
| ccsp-tr069-pa-ccsp  | Apache-2.0         | rdkb-20190206+git999   | ccsp-tr069-pa       |
| ccsp-webui          | Apache-2.0         | rdkb-20190206          | ccsp-webui          |
| ccsp-webui-csrf     | Apache-2.0         | git+AUTOINC+88cfff18db | ccsp-webui-csrf     |
| ccsp-wifi-agent     | Apache-2.0         | rdkb-20190206+git999   | ccsp-wifi-agent     |

|                       |  |                                     |                      |
|-----------------------|--|-------------------------------------|----------------------|
| ccsp-xconf            | Apache-2.0                             | rdkb-20190206+git999                | ccsp-xconf           |
| ccsp-xdns             | Apache-2.0                             | rdkb-20190206+git999                | ccsp-xdns            |
| cimplog               | Apache-2.0                             | git+AUTOINC+af8cbb5c98              | cimplog              |
| cjson                 | MIT                                    | 1.7.1                               | cjson                |
| cjwt                  | Apache-2.0                             | git+AUTOINC+39a2823156              | cjwt                 |
| crda                  | copyleft-next-0.3.0                    | 3.18                                | crda                 |
| curl                  | MIT                                    | 7.60.0                              | curl                 |
| dbus                  | AFL-2   GPLv2+                         | 1.10.10                             | dbus                 |
| dbus-lib              | AFL-2   GPLv2+                         | 1.10.10                             | dbus                 |
| dcmjsonparser         | Apache-2.0                             | rdkb-20190206+git999                | dcmjsonparser        |
| dhcp-client           | ISC                                    | 4.3.4                               | dhcp                 |
| dhcp-server           | ISC                                    | 4.3.4                               | dhcp                 |
| dhcp-server-config    | ISC                                    | 4.3.4                               | dhcp                 |
| dibbler-client        | GPLv2                                  | 1.0.0RC2                            | dibbler              |
| dibbler-server        | GPLv2                                  | 1.0.0RC2                            | dibbler              |
| dnsmasq               | GPLv2   GPLv3                          | 2.78                                | dnsmasq              |
| dropbear              | MIT & BSD-3-Clause & BSD-2-Clause & PD | 2016.74                             | dropbear             |
| e2fsprogs-e2fsck      | GPLv2                                  | 1.43                                | e2fsprogs            |
| ebtables              | GPLv2                                  | 2.0.10-4                            | ebtables             |
| expat                 | MIT                                    | 2.2.0                               | expat                |
| ez-ipupdate           | GPLv2                                  | 3.0.11b7                            | ez-ipupdate          |
| fcgi                  | OML                                    | 2.4.0                               | fcgi                 |
| glib-2.0              | LGPLv2+ & BSD & PD                     | 2.48.2                              | glib-2.0             |
| glibc                 | GPLv2 & LGPLv2.1                       | 2.24                                | glibc                |
| gnutls                | LGPLv2.1+                              | 2.12.24                             | gnutls               |
| hal-cm-generic        | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-cm-generic       |
| hal-dhcpv4c-generic   | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-dhcpv4c-generic  |
| hal-epon-generic      | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-epon-generic     |
| hal-ethsw-generic     | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-ethsw-generic    |
| hal-moca-generic      | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-moca-generic     |
| hal-mso-mgmt-generic  | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-mso-mgmt-generic |
| hal-mta-generic       | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-mta-generic      |
| hal-platform-generic  | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-platform-generic |
| hal-vlan-generic      | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-vlan-generic     |
| hal-wifi-generic      | Apache-2.0                             | rdkb-20190206+gitAUTOINC+225827dc4d | hal-wifi-generic     |
| hostapd               | GPLv2   BSD                            | 2.5                                 | hostapd              |
| igmpproxy             | GPLv2                                  | 0.1                                 | igmpproxy            |
| iksemel               | LGPLv2.1                               | 1.5+gitAUTOINC+978b733462           | iksemel              |
| iproute2              | GPLv2+                                 | 4.7.0                               | iproute2             |
| iptables              | GPLv2+                                 | 1.6.0                               | iptables             |
| iw                    | ISC                                    | 4.7                                 | iw                   |
| jansson               | MIT                                    | 2.7                                 | jansson              |
| jsoncpp               | MIT                                    | 0.6.0-rc2                           | jsoncpp              |
| jsonrpc               | MIT                                    | 0.7.0+gitAUTOINC+ccbdb41388         | jsonrpc              |
| kbd                   | GPLv2+                                 | 2.0.3                               | kbd                  |
| kbd-consolefonts      | GPLv2+                                 | 2.0.3                               | kbd                  |
| kbd-keymaps           | GPLv2+                                 | 2.0.3                               | kbd                  |
| kernel-base           | GPLv2                                  | 4.14.68+gitAUTOINC+8c8666ff6c       | linux-raspberrypi    |
| kernel-module-6lowpan | GPLv2                                  | 4.14.68+gitAUTOINC+8c8666ff6c       | linux-raspberrypi    |
| kernel-module-6pack   | GPLv2                                  | 4.14.68+gitAUTOINC+8c8666ff6c       | linux-raspberrypi    |
| kernel-module-8021q   | GPLv2                                  | 4.14.68+gitAUTOINC+8c8666ff6c       | linux-raspberrypi    |

|                                |       |                               |                   |
|--------------------------------|-------|-------------------------------|-------------------|
| kernel-module-8192cu           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-8192eu           | GPLv2 | 1.0-git                       | rt8192eu          |
| kernel-module-9p               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-9pnet            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-a8293            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-csum         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-gact         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-ipt          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-mirred       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-nat          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-pedit        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-police       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-simple       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-act-skbedit      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ad714x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ad714x-i2c       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ad714x-spi       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ads1015          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ads7846          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-adutux           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-adv7180          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-adx134x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-adx134x-i2c      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-adx134x-spi      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-aes-arm          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-aes-arm-bs       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-af-alg           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-af-key           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-af9013           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-af9033           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ah4              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ah6              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-aircable         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-algif-skcipher   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-aoe              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-appledisplay     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-appletalk        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ar5523           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arc4             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arizona-i2c      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arizona-ldo1     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arizona-micsupp  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arizona-spi      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ark3116          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arp-tables       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arppt-mangle     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-arp-table-filter | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-as102-fe         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ascot2e          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-asix             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-async-memcpy     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                 |       |                               |                   |
|---------------------------------|-------|-------------------------------|-------------------|
| kernel-module-async-pq          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-async-raid6-recov | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-async-tx          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-async-xor         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-at24              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-at76c50x-usb      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-at86rf230         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-atbm8830          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath3k             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath6kl-core       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath6kl-usb        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath9k             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath9k-common      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath9k-htc         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ath9k-hw          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ati-remote        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ati-remote2       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-atm               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-au0828            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-au8522-common     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-au8522-decoder    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-au8522-dig        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-authenc           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-authencsn         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ax25              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ax88179-178a      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-b2c2-flexcop      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-b2c2-flexcop-usb  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-b43               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-b43legacy         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-batman-adv        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-baycom-ser-fdx    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-baycom-ser-hdx    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm203x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm2835-smi       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm2835-smi-dev   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm2835-smi-nand  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm2835-unicam    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm2835-v4l2      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcm3510           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bcma              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-belkin-sa         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bfusb             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-binfmt-misc       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-block2mtd         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-blocklayoutdriver | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bluetooth         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bluetooth-6lowpan | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bmp280            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bmp280-i2c        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                    |       |                               |                   |
|------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-bmp280-spi           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bnep                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bonding              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bpa10x               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bpqether             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-br-netfilter         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-brcmfmac             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-brcmutil             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bridge               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-bsd-comp             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btbcm                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btintel              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btmrvl               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btmrvl-sdio          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btrfs                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btrtl                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btusb                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-btwiilink            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-can                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-can-bcm              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-can-dev              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-can-gw               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-can-raw              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-carl9170             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cast-common          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cast5-generic        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-catc                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cc2520               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ccm                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-acm              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-eem              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-ether            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-mbim             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-ncm              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-subset           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdc-wdm              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cdrom                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cfg80211             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ch341                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-charlcd              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-chipreg              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cifs                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-clk-allo-dac         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-clk-hifiberry-dacpro | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-basic            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-cgroup           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-flow             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-fw               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-route            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-rsvp             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cls-rsvp6            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                |       |                               |                   |
|--------------------------------|-------|-------------------------------|-------------------|
| kernel-module-clstcindex       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-clsu32           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cm109            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cma3000-d0x      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cmac             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cn               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-configs          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cp210x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cpia2            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-crc-ccitt        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-crc7             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-crc8             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cryptd           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-crypto-simd      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-crypto-user      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cryptoloop       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cs53l32a         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ctr              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cts              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cuse             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx22700          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx22702          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx231xx          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx231xx-alsa     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx231xx-dvb      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx2341x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24110          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24113          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24116          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24117          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24120          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx24123          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx25840          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cx82310-eth      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cxacru           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cxd2820r         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cxd2841er        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cxd2880          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cxd2880-spi      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cyberjack        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cypress-cy7c63   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cypress-firmware | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cypress-m8       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-cytherm          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dax              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-deflate          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dht11            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib0070          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib0090          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib3000mb        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib3000mc        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                     |       |                               |                   |
|-------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-dib7000m              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib7000p              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib8000               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dib9000               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dibx000-common        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-digi-acceleport       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dlm                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-bio-prison         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-bufio              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-cache              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-cache-smq          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-crypt              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-delay              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-log                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-log-userspace      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-mirror             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-mod                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-persistent-data    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-raid               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-region-hash        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-snapshot           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-thin-pool          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm-zero               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dm9601                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drbd                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drbg                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drm                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drm-kms-helper        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drx39xyj              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drxd                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-drxk                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds1621                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds1wm                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds2482                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds2490                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds2760-battery        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ds3000                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dsbr100               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dummy                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-as102             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-core              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-pll               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-a800          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-af9005        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-af9005-remote | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-af9015        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-af9035        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-anysee        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-au6610        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-az6007        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|  |       |                               |                   |
|--|-------|-------------------------------|-------------------|
| kernel-module-dvb-usb-az6027           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-ce6230           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-cinergy2         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-cxusb            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dib0700          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dibusb-common    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dibusb-mb        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dibusb-mc        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dibusb-mc-common | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-digitv           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dtt200u          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dtv5100          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dvbsky           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-dw2102           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-ec168            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-friio            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-gl861            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-gp8psk           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-lmedm04          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-m920x            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-mxl111sf         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-nova-t-usb2      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-opera            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-pctv452e         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-rtl28xxu         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-technisat-usb2   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-ttusb2           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-umt-010          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-v2               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-vp702x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dvb-usb-vp7045           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-dwc2                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-e4000                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-802-3                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-among                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-arp                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-arpreply             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-dnat                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-ip                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-ip6                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-limit                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-log                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-mark                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-mark-m               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-nflog                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-pktype               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-redirect             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-snat                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-stp                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebt-vlan                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ebtable-broute           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |



|                              |       |                               |                   |
|------------------------------|-------|-------------------------------|-------------------|
| kernel-module-ehtable-filter | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ehtable-nat    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ehtables       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ec100          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ecb            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ecdh-generic   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-echainiv       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ecryptfs       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-edt-ft5x06     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-EEPROM-93cx6   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-egalax-ts      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-cmp         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-ipset       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-meta        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-nbyte       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-text        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em-u32         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em28xx         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em28xx-alsa    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em28xx-dvb     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em28xx-rc      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-em28xx-v4l     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-emi26          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-emi62          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-empeg          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-enc28j60       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-esp4           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-esp6           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-evdev          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-exc3000        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-extcon-arizona | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-extcon-core    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ezusb          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-f81232         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-agm1264k-fl | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-bd663474    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-hx8340bn    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-hx8347d     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-hx8353d     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-hx8357d     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9163     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9320     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9325     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9340     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9341     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9481     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ili9486     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-pcd8544     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ra8875      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-s6d02a1     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-s6d1121     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                              |       |                               |                   |
|------------------------------|-------|-------------------------------|-------------------|
| kernel-module-fb-ssd1289     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ssd1306     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ssd1331     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-ssd1351     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-st7735r     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-st7789v     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-sys-fops    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-tinylcd     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-tls8204     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-uc1701      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-upd161704   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fb-watterott   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fbttf          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fbttf-device   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fc0011         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fc0012         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fc0013         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fc2580         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ff-memless     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fixed          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-flexfb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fm-drv         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ftdi-elan      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ftdi-sio       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-fuse           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-acm-ms       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-audio        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-cdc          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-ether        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-hid          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-mass-storage | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-midi         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-multi        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-printer      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-serial       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-webcam       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-g-zero         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gadgets        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gameport       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-garmin-gps     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-garp           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gcm            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gf128mul       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gfs2           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ghash-generic  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gl620a         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-go7007         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-go7007-loader  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-go7007-usb     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-goodix         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gp8psk-fe      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                               |       |                               |                   |
|-------------------------------|-------|-------------------------------|-------------------|
| kernel-module-gpio-arizona    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-backlight  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-ir-recv    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-ir-tx      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-keys       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-mockup     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-pcf857x    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gpio-wdt        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gre             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gs-usb          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-benq      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-conex     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-cpia1     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-dtcs033   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-etoms     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-finepix   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-gl860     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-jeilinj   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-ji2005bcd | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-kinect    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-konica    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-m5602     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-main      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-mars      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-mr97310a  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-nw80x     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-ov519     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-ov534     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-ov534-9   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-pac207    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-pac7302   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-pac7311   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-se401     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sn9c2028  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sn9c20x   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sonixb    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sonixj    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc1528   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc500    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc501    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc505    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc506    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc508    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-spc561    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sq905     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sq905c    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-sq930x    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-stk014    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-stk1135   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-stv0680   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-stv06xx   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                  |       |                               |                   |
|----------------------------------|-------|-------------------------------|-------------------|
| kernel-module-gspca-sunplus      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-t613         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-topro        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-tv8532       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-vc032x       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-vicam        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-xirlink-cit  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-gspca-zc3xx        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hci-uart           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hci-vhci           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hd44780            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hdc100x            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hdcdrv             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hdpvr              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-helene             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hfs                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hfsplus            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-a4tech         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-apple          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-asus           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-axff           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-belkin         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-betopff        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-cherry         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-chicony        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-cypress        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-dr             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-elecom         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-elo            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-emsff          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-ezkey          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-gaff           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-gembird        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-gyration       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-holtek-kbd     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-holtek-mouse   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-holtekff       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-kensington     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-keytouch       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-kye            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-lcpower        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-led            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-logitech       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-logitech-dj    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-logitech-hidpp | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-magicmouse     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-microsoft      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-monterey       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-multitouch     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-ntrig          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-ortek          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                    |       |                               |                   |
|------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-hid-petalynx         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-picolcd          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-pl               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-arvo      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-common    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-isku      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-kone      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-koneplus  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-konepure  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-kovapulus | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-lua       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-pyra      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-ryos      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-roccat-savu      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-samsung          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-sjoy             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-sony             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-speedlink        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-sunplus          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-trmff            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-topseed          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-twinhan          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-uclogic          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-waltop           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-wiimote          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-xinmo            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-zpff             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hid-zydacron         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hidp                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hmac                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-horus3a              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hostap               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hso                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-htu21                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-huawei-cdc-ncm       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-hwmon                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2400m               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2400m-usb           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-algo-bit         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-bcm2708          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-bcm2835          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-dev              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-gpio             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-mux              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-mux-gpmux        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-mux-pca954x      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-robotfuzz-osif   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-i2c-tiny-usb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-idmouse              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ieee802154           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|   |       |                               |                   |
|---|-------|-------------------------------|-------------------|
| kernel-module-ieee802154-6lowpan            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ieee802154-socket             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ifb                           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iforce                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iguanair                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-imon                          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ina2xx                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-industrialio                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-industrialio-buffer-cb        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-industrialio-triggered-buffer | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-inet-diag                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-input-polldev                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-int51x1                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-inv-mpu6050                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-inv-mpu6050-i2c               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-io-edgeport                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-io-ti                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iowarrior                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-gre                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-bitmap-ip              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-bitmap-ipmac           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-bitmap-port            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-ip                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-ipport            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-ipportip          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-ipportnet         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-net               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-netiface          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-hash-netport           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-set-list-set               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-tables                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-tunnel                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-dh                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-ftp                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-lbcl                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-lbclcr                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-lc                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-nq                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-pe-sip                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-rr                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-sed                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-sh                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-wlc                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vs-wrr                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip-vti                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6-tables                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6-tunnel                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6-udp-tunnel                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-ah                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                |       |                               |                   |
|--------------------------------|-------|-------------------------------|-------------------|
| kernel-module-ip6t-eui64       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-frag        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-hbh         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-ipv6header  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-masquerade  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-mh          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-npt         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-reject      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-rpfilter    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6t-rt          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6table-filter  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6table-mangle  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6table-nat     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ip6table-raw     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipaq             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipcomp           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipcomp6          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipheth           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipip             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-ah           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-clusterip    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-ecn          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-masquerade   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-reject       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipt-rpfilter     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iptable-filter   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iptable-mangle   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iptable-nat      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iptable-raw      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipv6             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipvlan           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ipw              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ir-kbd-i2c       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ir-lirc-codec    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ir-usb           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ircmm            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ircmm-tty        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-irda             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-irda-usb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-irlan            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-irnet            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-irtty-sir        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iscsi-boot-sysfs | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-iscsi-tcp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-isight-firmware  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-isl6405          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-isl6421          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-isl6423          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-isofs            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-it913x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-itd1000          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                   |       |                               |                   |
|-----------------------------------|-------|-------------------------------|-------------------|
| kernel-module-iuu-phoenix         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ix2505v             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-jc42                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-jffs2               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-jfs                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-jitterentropy-rng   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-joydev              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kalmia              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kaweth              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-keyspan             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-keyspan-pda         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-keyspan-remote      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kfifo-buf           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kingsun-sir         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kl5kusb105          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-kobil-sct           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ks959-sir           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ksdazzle-sir        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-core           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-eth            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-ip             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-ip6            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-netlink        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l2tp-ppp            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-l64781              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lcd                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lusb                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ledtrig-camera      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ledtrig-transient   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-legousbtower        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lg-vl600            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lg2160              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lgdt3305            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lgdt3306a           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lgdt330x            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lgs8gl5             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lgs8gxx             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lib80211            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lib80211-crypt-ccmp | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lib80211-crypt-tkip | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lib80211-crypt-wep  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libcomposite        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libertas            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libertas-sdio       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libertas-tf         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libertas-tf-usb     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libiscsi            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-libiscsi-tcp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lightning           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-linear              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lirc-dev            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |



|                                     |       |                               |                   |
|-------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-lirc-rpi              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-llc                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lm75                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lnbh25                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lnbp21                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lnbp22                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lru-cache             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ltc2941-battery-gauge | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lz4                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lz4-compress          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lzo                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-lzo-compress          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-m25p80                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-m88ds3103             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-m88rs2000             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-m88rs6000t            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mac80211              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mac80211-hwsim        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mac802154             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-macvlan               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-matrix-keymap         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-matrix-keypad         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-max2165               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mb86a16               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mb86a20s              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mc44s803              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mceusb                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mcp251x               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mcp320x               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mcp3422               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mcs7780               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mcs7830               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mct-u232              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-md-mod                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-md4                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-md5                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mdc800                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mdio-bitbang          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-media                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-metro-usb             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mi0283qt              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-michael-mic           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-microtek              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mipi-dbi              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mkiss                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mmc-spi               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mn88472               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mn88473               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mos7720               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mos7840               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mpls-gso              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                      |       |                               |                   |
|--------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-mrf24j40               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ms-sensors-i2c         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-msi001                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-msp3400                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt2060                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt2063                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt20xx                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt2131                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt2266                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt312                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt352                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt7601u                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mt9v011                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mtd                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mtd-blkdevs            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mtdblock               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mux-core               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mwifiex                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mwifiex-sdio           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl111sf-demod         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl111sf-tuner         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl301rf               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl5005s               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl5007t               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-mxl5xx                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nand                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nand-ecc               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-navman                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nbd                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-net1080                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-netconsole             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-netrom                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-amanda     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-broadcast  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-ftp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-h323       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-ipv4       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-ipv6       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-irc        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-netbios-ns | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-netlink    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-pptp       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-proto-gre  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-sane       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-sip        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-snmp       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-contrack-tftp       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-defrag-ipv4         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-defrag-ipv6         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-dup-ipv4            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                      |       |                               |                   |
|--------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-nf-dup-ipv6            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-log-common          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-log-ipv4            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-log-ipv6            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-amanda          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-ftp             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-h323            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-ipv4            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-ipv6            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-irc             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-masquerade-ipv4 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-masquerade-ipv6 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-pptp            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-proto-gre       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-redirect        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-sip             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-snmp-basic      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-nat-tftp            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-reject-ipv4         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nf-reject-ipv6         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfc                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfnetlink              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfnetlink-acct         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfnetlink-log          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfnetlink-queue        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfs-layout-flexfiles   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nfsd                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-dest               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-fragment           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-hop                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-ipv6               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-mobility           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-routing            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nhc-udp                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nlfs2                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp1250             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp1251             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp1255             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp737              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp775              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp850              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp852              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp855              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp857              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp860              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp861              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp862              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp863              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp864              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp865              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                 |       |                               |                   |
|---------------------------------|-------|-------------------------------|-------------------|
| kernel-module-nls-cp866         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp869         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp874         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp932         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp936         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp949         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-cp950         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-euc-jp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-1     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-13    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-14    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-15    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-2     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-3     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-4     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-5     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-6     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-7     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-iso8859-9     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-koi8-r        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-koi8-ru       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-koi8-u        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nls-utf8          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ns558             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ntfs              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nxt200x           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-nxt6000           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-dlm         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-dlms        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-nodemanager | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-stack-o2cb  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-stack-user  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ocfs2-stackglue   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-of-mmc-spi        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ofpart            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-omninet           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-openswitch        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-oprofile          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-opticon           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-option            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-or51132           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-or51211           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-osst              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-oti6858           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ov5647            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ov7640            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-overlay           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-p54common         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-p54usb            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-p8022             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|   |       |                               |                   |
|---|-------|-------------------------------|-------------------|
| kernel-module-panel-raspberrypi-touchscreen | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-panel-simple                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pegasus                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pinctrl-mcp23s08              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pktcdvd                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pktgen                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pl2303                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-plusb                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-powermate                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ppp-async                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ppp-deflate                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ppp-generic                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ppp-mppe                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ppp-synctty                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pppoatm                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pppoe                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pppox                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pps-core                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pps-gpio                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pps-ldisc                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-prism2-usb                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-psnap                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-psxpad-spi                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pvrusb2                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pwc                           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pwm-bcm2835                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pwm-ir-tx                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-pwm-pca9685                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qca-7k-common                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qcaspi                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qcaux                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qcserial                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qm1d1c0042                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qmi-wwan                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-qt1010                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-quatech2                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-quota-tree                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-quota-v1                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-quota-v2                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-r8152                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-r8188eu                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-r820t                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-r8712u                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-i2c-si470x              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-keene                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-ma901                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-mr800                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-shark                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-tea5764                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-usb-si470x              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-radio-wl1273                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                       |       |                               |                   |
|---------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-raid0                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-raid1                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-raid10                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-raid456                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-raid6-pq                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-raspberrypi-axi-monitor | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rc-loopback             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-redrat3                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-reiserfs                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-repaper                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rfcomm                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rfkill                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rio500                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rndis-host              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rndis-wlan              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rose                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rotary-encoder          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpcsec-gss-krb5         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpi-backlight           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpi-ft5406              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpi-poe-fan             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpisense-core           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpisense-fb             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rpisense-js             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt2500usb               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt2800lib               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt2800usb               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt2x00lib               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt2x00usb               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rt73usb                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-abx80x              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-bq32k               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1302              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1305              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1307              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1374              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1390              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds1672              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-ds3232              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-em3027              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-fm3130              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-isl12022            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-isl1208             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-m41t80              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-m41t93              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-m41t94              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-max6900             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-max6902             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-pcf2123             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-pcf2127             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-pcf8523             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                               |       |                               |                   |
|-------------------------------|-------|-------------------------------|-------------------|
| kernel-module-rtc-pcf8563     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-pcf8583     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-r9701       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rs5c348     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rs5c372     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rv3029c2    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rx4581      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rx8025      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-rx8581      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-s35390a     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtc-x1205       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl-usb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl2830         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl2832         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl8150         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl8187         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl8192c-common | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl8192cu       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtl8812au       | GPLv2 | 1.0-git                       | rtl8812au         |
| kernel-module-rtl8xxxu        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-rtlwifi         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s2250           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s2255drv        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s5h1409         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s5h1411         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s5h1420         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s5h1432         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-s921            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-saa7115         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-saa7706h        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-safe-serial     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sc16is7xx       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-atm         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-cbq         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-choke       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-codel       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-drr         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-dsmark      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-fq          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-fq-codel    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-gred        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-hfsc        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-hhf         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-htb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-ingress     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-mqprio      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-multiq      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-netem       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-pie         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-plug        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-prio        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                 |       |                               |                   |
|---------------------------------|-------|-------------------------------|-------------------|
| kernel-module-sch-qfq           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-red           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-sfb           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-sfq           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-tbf           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sch-teql          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sctp              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sctp-diag         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-seqiv             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-serdev            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-serio             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-serio-raw         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-serport           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sg                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sha1-arm          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sha1-arm-neon     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sha1-generic      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sha256-generic    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sha512-generic    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-shark2            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sht21             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sht3x             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-shtc1             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-si2157            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-si2165            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-si2168            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-si21xx            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-si4713            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sierra            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sierra-net        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sir-dev           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sit               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-siscan            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sihc              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-slip              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-smisc75xx         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-smsdvb            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-smsmdtv           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-smsusb            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-aloop         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-bcm2835       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-compress      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-dummy         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-hrtimer       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-hwdep         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-mpu401        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-mpu401-uart   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-mtpav         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-pcm           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-pcm-dmaengine | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |



|  |       |                               |                   |
|--|-------|-------------------------------|-------------------|
| kernel-module-snd-rawmidi                          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq                              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq-device                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq-dummy                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq-midi                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq-midi-event                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-seq-virmidi                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-serial-u16550                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-adau1701                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-adau1977                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-adau1977-adc                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-adau1977-i2c                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-adau7002                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-ak4554                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-allo-boss-dac                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-allo-digione                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-allo-katana-codec            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-allo-piano-dac               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-allo-piano-dac-plus          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-arizona                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-audio-graph-card             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-audioinjector-octo-soundcard | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-audioinjector-pi-soundcard   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-bcm2835-i2s                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-core                         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-cs4265                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-cs4271                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-cs4271-i2c                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-cs42xx8                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-cs42xx8-i2c                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-digidac1-soundcard           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-dionaudio-loco               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-dionaudio-loco-v2            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-fe-pi-audio                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-googlevoicehat-codec         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-googlevoicehat-soundcard     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-hifiberry-amp                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-hifiberry-dac                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-hifiberry-dacplus            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-hifiberry-digi               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-iqaudio-dac                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-iqaudio-digi                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-justboom-dac                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-justboom-digi                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-pcm1794a                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-pcm5102a                     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-pcm512x                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-pcm512x-i2c                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-pisound                      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|   |       |                               |                   |
|---|-------|-------------------------------|-------------------|
| kernel-module-snd-soc-rpi-cirrus        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-rpi-dac           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-rpi-PROTO         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-sgtl5000          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-sigmadsp          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-sigmadsp-i2c      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-simple-card       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-simple-card-utils | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-spdif-rx          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-spdif-tx          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-tas5713           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm-adsp           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm5102            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm8731            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm8741            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm8804            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-soc-wm8804-i2c        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-timer                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-ua101                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-usb-6fire             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-usb-audio             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-usb-caiaq             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-usb-hiface            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-usbmidi-lib           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-snd-virmidi               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sony-btf-mpx              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sp2                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sp8870                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sp887x                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spcp8x5                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-speakup                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-speakup-soft              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-speedtch                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spi-bcm2835               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spi-bcm2835aux            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spi-bitbang               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spi-gpio                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spi-nor                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-spidev                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-squashfs                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sr-mod                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sr9700                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sr9800                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ssb                       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ssd1307fb                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ssu100                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-st                        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-st-drv                    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stb0899                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stb6000                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stb6100                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                |       |                               |                   |
|--------------------------------|-------|-------------------------------|-------------------|
| kernel-module-stir4200         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stk1160          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stkwebcam        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stmpe-ts         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stp              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-streamzap        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0288          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0297          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0299          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0367          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0900          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv090x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv0910          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv6110          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv6110x         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-stv6111          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-symbolserial     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-syscopyarea      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sysfillrect      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-sysimgblt        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tc358743         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tc90522          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tcp-bbr          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tcp-bic          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tcp-diag         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tcp-htcp         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tcp-westwood     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda10021         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda10023         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda10048         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda1004x         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda10071         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda10086         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda18212         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda18218         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda18271         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda18271c2dd     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda665x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda8083          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda8261          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda826x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda827x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda8290          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tda9887          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tea575x          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tea5761          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tea5767          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tef6862          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tgr192           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ti-usb-3410-5052 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tinydrm          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                               |       |                               |                   |
|-------------------------------|-------|-------------------------------|-------------------|
| kernel-module-tm6000          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tm6000-alsa     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tm6000-dvb      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tmp102          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-trancevibrator  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ts-bm           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ts-fsm          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ts-kmp          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ts2020          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tsl4531         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ttpci-eeprom    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ttusbir         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tua6100         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tua9001         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tun             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tuner           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tuner-simple    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tuner-types     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tuner-xc2028    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tunnel4         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tunnel6         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tveeprom        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tpv5150         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tw2804          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tw9903          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-tw9906          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-u-audio         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-u-ether         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-u-serial        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ubi             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ubifs           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uda1342         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-udc-core        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-udf             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-udl             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-udlfb           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-udp-tunnel      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ueagle-atm      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uhid            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uinput          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uis             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uis-pdrv-genirq | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-alauda      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-cypress     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-datafab     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-eneub6250   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-freecom     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-isd200      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-jumpshot    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-karma       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-onetouch    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                     |       |                               |                   |
|-------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-ums-realtek           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-sddr09            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-sddr55            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ums-usbata            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-debug             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-acm             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-ecm             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-ecm-subset      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-hid             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-mass-storage    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-midi            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-obex            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-printer         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-rndis           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-serial          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-ss-lb           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-uac2            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-f-uvic            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-wwan              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb8xxx               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usbatm                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usbip-core            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usbip-host            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-lcd               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-lp                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-mon               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-serial            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-sevseg            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-test              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-touchscreen       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-tv                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-usb-vision            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-uvic-video            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-v4l2-common           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-v4l2-dv-timings       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-v4l2-fwnode           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vc4                   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vc-anc                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ve-m6070              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ves-1820              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ves-1x93              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-ve-th                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vh-ci-hcd             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf-core        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf-dvb         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf-vmalloc     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf2-core       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf2-dma-contig | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf2-memops     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf2-v4l2       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-video-buf2-vmalloc    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                                    |       |                               |                   |
|------------------------------------|-------|-------------------------------|-------------------|
| kernel-module-videodev             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-visor                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vport-gre            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vport-vxlan          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vt6656-stage         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-vxlan                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2406            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2408            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2413            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2423            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2431            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2433            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2438            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2760            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2780            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds2781            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-ds28e04           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-gpio              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-smem              | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-w1-therm             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wacom                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-whiteheat            | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wimax                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wire                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wishbone-serial      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wl1273-core          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wm8775               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-wp512                | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-x-tables             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xc4000               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xc5000               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xcbc                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm-ipcomp          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm4-mode-beet      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm4-mode-transport | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm4-mode-tunnel    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm4-tunnel         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm6-mode-beet      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm6-mode-transport | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm6-mode-tunnel    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xfrm6-tunnel         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xtfs                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xor                  | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xor-neon             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xpad                 | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xsens-mt             | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-addrtype          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-bpf               | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-checksum          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-classify          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-cluster           | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                              |       |                               |                   |
|------------------------------|-------|-------------------------------|-------------------|
| kernel-module-xt-comment     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-connbytes   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-connlabel   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-connlimit   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-connmark    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-contrack    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-cpu         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-ct          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-dccp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-devgroup    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-dscp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-ecn         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-esp         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-hashlimit   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-helper      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-hl          | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-hmark       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-idletimer   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-ibrange     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-ipvs        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-l2tp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-led         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-length      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-limit       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-log         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-mac         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-mark        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-multiport   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-nat         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-netmap      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-nfacct      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-nflog       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-nfqueue     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-osf         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-owner       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-physdev     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-pktype      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-policy      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-quota       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-rateest     | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-realm       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-recent      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-redirect    | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-sctp        | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-set         | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-state       | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-statistic   | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-string      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-tcpmss      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-tcpoptstrip | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |
| kernel-module-xt-tcpudp      | GPLv2 | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi |

|                               |                            |                               |                       |
|-------------------------------|----------------------------|-------------------------------|-----------------------|
| kernel-module-xt-tee          | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xt-time         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xt-tproxy       | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xt-trace        | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xt-u32          | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xts             | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xusbarm         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-xxhash          | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-yam             | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-yealink         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-yurex           | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zaurus          | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zd1201          | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zd1211rw        | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zd1301-demod    | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zl10036         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zl10039         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zl10353         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zlib-deflate    | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zr364xx         | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zram            | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zsmalloc        | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zstd-compress   | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-module-zstd-decompress | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| kernel-modules                | GPLv2                      | 4.14.68+gitAUTOINC+8c8666ff6c | linux-raspberrypi     |
| keymaps                       | GPLv2                      | 1.0                           | keymaps               |
| kmod                          | GPL-2.0+ & LGPL-2.1+       | 23+gitAUTOINC+65a885df5f      | kmod                  |
| libacl                        | LGPLv2.1+                  | 2.2.52                        | acl                   |
| libapm                        | GPLv2+                     | 3.2.2-15                      | apmd                  |
| libattr                       | LGPLv2.1+                  | 2.4.47                        | attr                  |
| libbz2                        | bzip2                      | 1.0.6                         | bzip2                 |
| libcap                        | BSD   GPLv2                | 2.25                          | libcap                |
| libcomerr                     | GPLv2 & LGPLv2 & BSD & MIT | 1.43                          | e2fsprogs             |
| libcrypto                     | openssl                    | 1.0.2o                        | openssl               |
| libcurl                       | MIT                        | 7.60.0                        | curl                  |
| libe2p                        | GPLv2 & LGPLv2 & BSD & MIT | 1.43                          | e2fsprogs             |
| libext2fs                     | GPLv2 & LGPLv2 & BSD & MIT | 1.43                          | e2fsprogs             |
| libffi                        | MIT                        | 3.2.1                         | libffi                |
| libgcc                        | GPL-3.0-with-GCC-exception | 6.4.0                         | libgcc                |
| libgcrypt                     | LGPLv2.1+                  | 1.7.3                         | libgcrypt             |
| libgpg-error                  | GPLv2+ & LGPLv2.1+         | 1.24                          | libgpg-error          |
| libkmod                       | LGPL-2.1+                  | 23+gitAUTOINC+65a885df5f      | kmod                  |
| liblzma                       | PD                         | 5.2.2                         | xz                    |
| libmicrohttpd                 | LGPL-2.1+                  | 0.9.50                        | libmicrohttpd         |
| libmnl                        | LGPLv2.1+                  | 1.0.4                         | libmnl                |
| libmtp                        | LGPL-2.1+                  | 1.1.5                         | libmtp                |
| libmtp-bin                    | LGPL-2.1+                  | 1.1.5                         | libmtp                |
| libmtp-common                 | LGPL-2.1+                  | 1.1.5                         | libmtp                |
| libmtp-runtime                | LGPL-2.1+                  | 1.1.5                         | libmtp                |
| libnetfilter-contrack         | GPLv2+                     | 1.0.6                         | libnetfilter-contrack |



|                             |                            |   |                    |
|-----------------------------|----------------------------|---|--------------------|
| libnetfilter-queue          | GPLv2+                     | 1.0.2+git981025e103d887fb6a9c9bb49c74ec323108d098 | libnetfilter-queue |
| libnfnetlink                | GPLv2+                     | 1.0.1   | libnfnetlink       |
| libnl                       | LGPLv2.1                   | 3.3.0   | libnl              |
| libnl-genl                  | LGPLv2.1                   | 3.3.0   | libnl              |
| libpam                      | GPLv2+   BSD               | 1.3.0   | libpam             |
| libpam-runtime              | GPLv2+   BSD               | 1.3.0   | libpam             |
| libparodus                  | Apache-2.0                 | git+AUTOINC+8263bb06c8                            | libparodus         |
| libpci                      | GPLv2+                     | 3.5.1   | pciutils           |
| libpcre                     | BSD                        | 8.39  | libpcre            |
| libpcreposix                | BSD                        | 8.39  | libpcre            |
| libproxy                    | LGPLv2.1+                  | 0.4.13  | libproxy           |
| libpython2                  | PSFv2                      | 2.7.12  | python             |
| libseshat                   | Apache-2.0                 | git+AUTOINC+470f8d5e94                            | libseshat          |
| libssl                      | openssl                    | 1.0.2o  | openssl            |
| libstdc++                   | GPL-3.0-with-GCC-exception | 6.4.0   | gcc-runtime        |
| libsysfs                    | LGPLv2.1                   | 2.1.0   | sysfsutils         |
| libsystemd                  | GPLv2 & LGPLv2.1           | 230+gitAUTOINC+3a74d4fc90                         | systemd            |
| libsyswrapper               | Apache-2.0                 | 1.0   | libsyswrapper      |
| libtasn1                    | LGPLv2.1+                  | 4.8   | libtasn1           |
| libtinyxml                  | Zlib                       | 2.6.2   | libtinyxml         |
| libudev                     | GPLv2 & LGPLv2.1           | 230+gitAUTOINC+3a74d4fc90                         | systemd            |
| libupnp                     | BSD-3-Clause               | 1.6.22  | libupnp            |
| libusb1                     | LGPLv2.1+                  | 1.0.20  | libusb1            |
| libxml2                     | MIT                        | 2.9.4   | libxml2            |
| lighttpd                    | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-access      | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-accesslog   | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-auth        | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-cgi         | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-dirlisting  | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-fastcgi     | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-indexfile   | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-proxy       | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-redirect    | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-rewrite     | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-secdownload | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-setenv      | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-ssi         | BSD                        | 1.4.39  | lighttpd           |
| lighttpd-module-staticfile  | BSD                        | 1.4.39  | lighttpd           |
| linux-firmware-bcm43430     | Firmware-broadcom_bcm43xx  | 0.0+gitAUTOINC+bf04291309                         | linux-firmware     |

|                                 |   |                             |                   |
|---------------------------------|---|-----------------------------|-------------------|
| linux-firmware-bcm43455         | Firmware-Abilis & Firmware-adsp_sst & Firmware-agere & Firmware-amdgpu & Firmware-amd-ucode & Firmware-atheros_firmware & Firmware-atmel & Firmware-broadcom_bcm43xx & Firmware-ca0132 & Firmware-cavium & Firmware-chelsio_firmware & Firmware-cw1200 & Firmware-dib0700 & Firmware-e100 & Firmware-ene_firmware & Firmware-fw_sst_of28 & Firmware-go7007 & Firmware-GPLv2 & Firmware-hfi1_firmware & Firmware-i2400m & Firmware-i915 & Firmware-ibt_firmware & Firmware-it913x & Firmware-iwlwifi_firmware & Firmware-IntcSST2 & Firmware-kaweth & Firmware-Marvell & Firmware-moxa & Firmware-myri10ge_firmware & Firmware-netronome & Firmware-vidia & Firmware-OLPC & Firmware-ath9k-htc & Firmware-phanfw & Firmware-qat & Firmware-qla1280 & Firmware-qla2xxx & Firmware-qualcommAtheros_ar3k & Firmware-qualcommAtheros_ath10k & Firmware-r8a779x_usb3 & Firmware-radeon & Firmware-ralink_a_mEDIATEK_company_firmware & Firmware-ralink-firmware & Firmware-rtlwifi_firmware & Firmware-imx-sdma_firmware & Firmware-siano & Firmware-tda7706-firmware & Firmware-ti-connectivity & Firmware-ti-keystone & Firmware-ueagle-atm4-firmware & Firmware-via_vt6656 & Firmware-wl1251 & Firmware-xc4000 & Firmware-xc5000 & Firmware-xc5000c & WHENCE | 0.0+gitAUTOINC+bf04291309   | linux-firmware    |
| linux-firmware-broadcom-license | Firmware-broadcom_bcm43xx   | 0.0+gitAUTOINC+bf04291309   | linux-firmware    |
| linux-firmware-ralink           | Firmware-ralink-firmware  | 0.0+gitAUTOINC+bf04291309   | linux-firmware    |
| linux-firmware-ralink-license   | Firmware-ralink-firmware  | 0.0+gitAUTOINC+bf04291309   | linux-firmware    |
| log4c                           | LGPLv2.1  | 1.2.3                       | log4c             |
| logrotate                       | GPLv2   | 3.9.1                       | logrotate         |
| lzo                             | GPLv2+  | 2.09                        | lzo               |
| mailx                           | BSD & MPL-1   | 12.5-5                      | mailx             |
| memstress                       | Apache-2.0  | 0.1                         | memstress         |
| miniupnpd                       | BSD-3-Clause  | 1.8                         | miniupnpd         |
| msgpack-c                       | BSL-1.0   | 2.1.1+gitAUTOINC+20ef1f925b | msgpack-c         |
| mtd-utils-ubifs                 | GPLv2+  | 1.5.2                       | mtd-utils         |
| nanomsg                         | MIT   | git+AUTOINC+b7fd165c20      | nanomsg           |
| ncurses-libtinfo                | MIT   | 6.0+20160625                | ncurses           |
| ncurses-terminfo-base           | MIT   | 6.0+20160625                | ncurses           |
| neon                            | LGPLv2+   | 0.30.1                      | neon              |
| net-snmp-client                 | BSD   | 5.7.3                       | net-snmp          |
| net-snmp-libs                   | BSD   | 5.7.3                       | net-snmp          |
| net-snmp-mibs                   | BSD   | 5.7.3                       | net-snmp          |
| net-snmp-server                 | BSD   | 5.7.3                       | net-snmp          |
| net-snmp-server-snmpd           | BSD   | 5.7.3                       | net-snmp          |
| netbase                         | GPLv2   | 5.3                         | netbase           |
| nodejs                          | MIT & BSD & Artistic-2.0  | 4.6.1                       | nodejs            |
| nodejs-npm                      | MIT & BSD & Artistic-2.0  | 4.6.1                       | nodejs            |
| nopoll                          | LGPL-2.1  | 0.3.2.b232                  | nopoll            |
| openssl                         | openssl   | 1.0.2o                      | openssl           |
| openssl-conf                    | openssl   | 1.0.2o                      | openssl           |
| os-release                      | MIT   | 1.0                         | os-release        |
| packagegroup-base               | MIT   | 1.0                         | packagegroup-base |
| packagegroup-base-apm           | MIT   | 1.0                         | packagegroup-base |

|                                 |              |                         |                                 |
|---------------------------------|--------------|-------------------------|---------------------------------|
| packagegroup-base-extended      | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-base-ipv6          | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-base-keyboard      | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-base-usbhost       | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-core-boot          | MIT          | 1.0                     | packagegroup-core-boot          |
| packagegroup-distro-base        | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-machine-base       | MIT          | 1.0                     | packagegroup-base               |
| packagegroup-rdk-ccsp-broadband | RDK          | 1.0                     | packagegroup-rdk-ccsp-broadband |
| packagegroup-rdk-oss-broadband  | RDK          | 1.0                     | packagegroup-rdk-oss-broadband  |
| packagegroup-tdk-broadband      | RDK          | 1.0                     | packagegroup-tdk-broadband      |
| pam-plugin-deny                 | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-env                  | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-faildelay            | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-group                | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-lastlog              | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-limits               | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-mail                 | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-motd                 | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-nologin              | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-permit               | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-rootok               | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-securetty            | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-shells               | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-unix                 | GPLv2+   BSD | 1.3.0                   | libpam                          |
| pam-plugin-warn                 | GPLv2+   BSD | 1.3.0                   | libpam                          |
| parodus                         | Apache-2.0   | git+AUTOINC+_029d999124 | parodus                         |
| parodus2ccsp                    | Apache-2.0   | git+AUTOINC+_029d999124 | parodus2ccsp                    |
| pcregrep                        | BSD          | 8.39                    | libpcre                         |
| php                             | PHP-3.0      | 7.2.8                   | php                             |
| php-cgi                         | PHP-3.0      | 7.2.8                   | php                             |
| php-cli                         | PHP-3.0      | 7.2.8                   | php                             |
| popt                            | MIT          | 1.16                    | popt                            |
| python-codecs                   | PSFv2        | 2.7.12                  | python                          |
| python-contextlib               | PSFv2        | 2.7.12                  | python                          |
| python-core                     | PSFv2        | 2.7.12                  | python                          |
| python-crypt                    | PSFv2        | 2.7.12                  | python                          |
| python-datetime                 | PSFv2        | 2.7.12                  | python                          |
| python-fcntl                    | PSFv2        | 2.7.12                  | python                          |
| python-io                       | PSFv2        | 2.7.12                  | python                          |
| python-lang                     | PSFv2        | 2.7.12                  | python                          |
| python-logging                  | PSFv2        | 2.7.12                  | python                          |
| python-math                     | PSFv2        | 2.7.12                  | python                          |
| python-mime                     | PSFv2        | 2.7.12                  | python                          |
| python-netclient                | PSFv2        | 2.7.12                  | python                          |
| python-pickle                   | PSFv2        | 2.7.12                  | python                          |
| python-re                       | PSFv2        | 2.7.12                  | python                          |
| python-readline                 | PSFv2        | 2.7.12                  | python                          |
| python-shell                    | PSFv2        | 2.7.12                  | python                          |
| python-stringold                | PSFv2        | 2.7.12                  | python                          |
| python-subprocess               | PSFv2        | 2.7.12                  | python                          |
| python-textutils                | PSFv2        | 2.7.12                  | python                          |

|                          |                           |                                     |                      |
|--------------------------|---------------------------|-------------------------------------|----------------------|
| quagga                   | GPL-2.0 & LGPL-2.0        | 1.0.20160315                        | quagga               |
| rdk-logger               | Apache-2.0                | rdkb-20190206+git999                | rdk-logger           |
| rdm                      | Apache-2.0                | rdkb-20190206+git999                | rdm                  |
| readline                 | GPLv2+                    | 5.2                                 | readline             |
| rfc                      | Apache-2.0                | rdkb-20190206+git999                | rfc                  |
| rtl8192eu                | GPLv2                     | 1.0-git                             | rtl8192eu            |
| rtl8812au                | GPLv2                     | 1.0-git                             | rtl8812au            |
| run-postinsts            | MIT                       | 1.0                                 | run-postinsts        |
| shadow                   | BSD   Artistic-1.0        | 4.2.1                               | shadow               |
| shadow-base              | BSD   Artistic-1.0        | 4.2.1                               | shadow               |
| shadow-securetty         | MIT                       | 4.2.1                               | shadow-securetty     |
| smartmontools            | GPLv2                     | 6.5                                 | smartmontools        |
| smcroute                 | GPLv2+                    | 2.0.0                               | smcroute             |
| spawn-fcgi               | BSD                       | 1.6.4                               | spawn-fcgi           |
| ssmtp                    | GPLv2                     | 2.64                                | ssmtp                |
| sysfsutils               | GPLv2                     | 2.1.0                               | sysfsutils           |
| sysint-broadband         | Apache-2.0                | rdkb-20190206                       | sysint-broadband     |
| sysstat                  | GPLv2+                    | 11.4.0                              | sysstat              |
| systemd                  | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| systemd-analyze          | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| systemd-bootchart        | LGPLv2.1 & GPLv2          | 230+gitAUTOINC+dc6246b462           | systemd-bootchart    |
| systemd-compat-units     | MIT                       | 1.0                                 | systemd-compat-units |
| systemd-container        | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| systemd-extra-utils      | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| systemd-serialgetty      | GPLv2+                    | 1.0                                 | systemd-serialgetty  |
| systemd-vconsole-setup   | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| tdk-b                    | Apache-2.0                | rdkb-20190206+git999                | tdk-b                |
| test-and-diagnostic      | Apache-2.0                | rdkb-20190206+git999                | test-and-diagnostic  |
| test-and-diagnostic-ccsp | Apache-2.0                | rdkb-20190206+git999                | test-and-diagnostic  |
| trower-base64            | Apache-2.0                | git+AUTOINC+fb9440ae2               | trower-base64        |
| ucresolv                 | Apache-2.0                | git+AUTOINC+b58d49e165              | ucresolv             |
| udev                     | GPLv2 & LGPLv2.1          | 230+gitAUTOINC+3a74d4fc90           | systemd              |
| update-alternatives-opkg | GPLv2+                    | 0.3.2+gitAUTOINC+3ffece9bf1         | opkg-utils           |
| update-rc.d              | GPLv2+                    | 0.7                                 | update-rc.d          |
| usbutils                 | GPLv2+                    | 008                                 | usbutils             |
| util-linux-agetty        | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-fsck          | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-libblkid      | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-libmount      | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-libsmartcols  | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-libuuid       | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-losetup       | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-mount         | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-sulogin       | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-swaponoff     | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-umount        | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| util-linux-uuidgen       | GPLv2+ & LGPLv2.1+ & BSD  | 2.28.1                              | util-linux           |
| utopia                   | Apache-2.0 & BSD-3-Clause | rdkb-20190206+gitAUTOINC+c53d2c73a9 | utopia               |
| volatile-binds           | MIT                       | 1.0                                 | volatile-binds       |
| wdmp-c                   | Apache-2.0                | git+AUTOINC+9c654d51ed              | wdmp-c               |
| wireless-regdb           | ISC                       | 2016.06.10                          | wireless-regdb       |

|                |                                    |                        |                |
|----------------|------------------------------------|------------------------|----------------|
| wireless-tools | GPLv2 & (LGPLv2.1   MPL-1.1   BSD) | 30.pre9                | wireless-tools |
| wrp-c          | Apache-2.0                         | git+AUTOINC+6dd7cbc643 | wrp-c          |
| yajl           | ISC                                | 1.0.9                  | yajl           |
| zlib           | Zlib                               | 1.2.8                  | zlib           |