

RFP - Release Notes - 2021 - M5



Release Notes - 2021 - M5
RDK Reference Platform (RFP)

Version: 1.15
05 Jun 2021

RDK MANAGEMENT, LLC CONFIDENTIAL AND PROPRIETARY

This file (and its contents) are the intellectual property of RDK Management, LLC.

It may not be used, copied, distributed, or otherwise disclosed in whole or in part without the express written permission of RDK Management, LLC. Copyright (c) 2020 RDK Management, LLC. All rights reserved.

Revision History

Release No.	Date	Revision Description
1.15	05 Jun 2021	Broadband • Telemetry 2.0 support in RPI - REFPLTB-1041 • Added Zilker-sdk recipe in R-Pi - Phase 1 -REFPLTB-1025 • Rpi4 Extender bringup with opensync-2.0 - REFPLTB-1070 • Common Wi-Fi HAL for reference platform - REFPLTB-1146 Camera • Validate CVR use case with pipewiresrc plugin - REFPLTCAM-134 • HTTP Firmware Upgrade is not working in RPi - REFPLTCAM-127 Video • Stabilization fixes in RPi Yocto 3.1 (Dunfell) image. • Stabilization of RDK Services. • Bug fixes in UI.
1.14	02 May 2021	Broadband • Release builds for Turris-Omnia - REFPLTB-1048 • TinyRDK for Turris Omnia target - REFPLTB-1021 • Design preparation for WiFi6 radio bring up in Turris Omnia - REFPLTB-1058 • Community Support for Turris Omnia target - REFPLTB-1063, REFPLTB-1068 • Integrate and compile Opensync_2.0 recipe for RPI4 target - REFPLTB-1070 Camera • Validate live stream using pipewire framework with gst-launch - REFPLTCAM-118 • Bringing RDKC Streamerhal component into the yocto framework - REFPLTCAM-104 • Bringing RDKC camera-apps component into the yocto framework - REFPLTCAM-103 • Resolve build failure in RDK-C - REFPLTCAM-125 Video • Stabilization fixes in RPi Yocto 3.1 (Dunfell) image. • Stabilization of RDK Services. • Bug fixes in UI.

1.13	31 Mar 2021	Broadband - Analyze and ensure the tiny RDK Changes brought up in Raspberry PI - REFPLTB-916 - Analyzed the tiny RDK changes in Raspberry PI and making changes for turris-omnia REFPLTB-1021 - Added wifihal Test binary to validate the wifi hal api's in emu console - REFPLTB-1018 - Wifi Hal refactoring for gathering the information of Associated wireless clients - REFPLTB-1038 - Fixed Build errors for Unification of rtmessage on both RDKB and RDKC - Fixed Turris Extender opensync_2.0.5 build errors in dunfell - REFPLTB-964 Camera - Audio playback with pipewire utility - REFPLTCAM-124 - Resolved firmware upgrade issue Video - Stabilization fixes in RPi Yocto 3.1 (Dunfell) images - Enhancements in Resident App UI - Bug fixes on RDK Services
1.12	28 Feb 2021	Broadband - Analyze and ensure the tiny RDK Changes brought up in Raspberry PI - REFPLTB-916 - RDK-B Upgradation to R-Pi4 - REFPLTB-931 - Yocto 3.1 Migration with WebUI JST support in rpi3 Fixes - REFPLTB-923 - TR-069 Data Parameters Support- GPV, SPV for RPI - REFPLTB-928 - Extensible SDK (eSDK) support for Turris Omnia Phase2 - REFPLTB-584 - Git tagged releases for Turris Omnia on rdk-next branch - REFPLTB-976 Camera - Resolve buffer glitches and hang issue in RMS feature with libcamera. - REFPLTCAM-115 - validate cvr feature using libcamera - REFPLTCAM-108 - Bringup pipewire component in RDK-C. - REFPLTCAM-116 Video - RDKCentral's generic TR-069 Data Model used in RPi platform - Fixed RDK Services stabilization tickets - Pinned Revision for RDK components in eSDK support - Resolved few Community tickets
1.11	31 Jan 2021	Broadband - Yocto 3.1 with WebUI JST migration Support in RPi(Model 3B+/3B) target platform - REFPLTB-862 - Remote Management Support With HTTPS in RDKB RPI target platform - REFPLTB-893 - TR-069 Support for RPI - REFPLTB-899 - Telemetry- Cron Expression Support for Turris Omnia - REFPLTB-866 - Extensible SDK (eSDK) support on Dunfell Turris -REFPLTB-584 - Wireless Protection Setup(WPS) support for Turris Omnia - REFPLTB-673 - Git tagged releases for Turris Omnia on rdk-next branch - REFPLTB-924 Camera - extensible SDK (eSDK) support for raspberrypi - REFPLTCAM-105 - fixing zoom issue observed on libcamerasrc video capture - REFPLTCAM-106 - crash observed during capturing video using libcamerasrc after 40+ seconds of capture - REFPLTCAM-107 - Support RMS with RTSP feature using libcamera src - REFPLTCAM-110 Video - New RDK Resident App available in RPi images  - Telemetry 1.0 feature on Video profiles  - RDKShell runtime crash is fixed - MPEG-2 playback using hardware decoding on RPi available in Yocto 3.1 - Build issues fixed in RPi RefApp image on Yocto 3.1 - Migration of BRCM Reference Device 72180 to 20.2 sdk

1.10	08 Jan 2021	Broadband - Yocto 3.1 Migration and validation of RDKB features with opensync - REFPLTB-836 - Git tagged releases for Turris Omnia on rdk-next branch - Dec_30_12_2020 - Yocto 3.1 migration Support in RPI(Model 3B+/3B) target platform - REFPLTB-862 Camera - Yocto 3.1 Migration on rdk-next branch for RPI - REFPLTCAM-91 - Firmware Upgarde with HTTP support for RPI - REFPLTCAM-92 - libcamera validation with gst-launch-1.0 -REFPLTCAM-68 Video - Extensible SDK for Raspberrypi Platform - REFPLTV-730 NEW - Yocto 3.1 (Dunfell) Migration of RDK-Video profile's yocto builds on rdk-next branch - Phase 2 - REFPLTV-412 NEW - Firmware Upgrade on RPi platform from XCONF Server - REFPLTV-759 NEW - Stabilization of RDK Services on RDK-V images - fixed most of the issues - REFPLTV-514
1.9	30 Nov 2020	Broadband - RDK Telemetry for Turris omnia reference platform - REFPLTB-664 - Yocto 3.1 Migration on rdk-next branch for RPI - REFPLTB-862 - Validation on Migration from dunfell to rdk-next on Turris Omnia - REFPLTB-836 - Mesh config on R-Pi 4 (Proof of Concept) - Git tagged releases for Turris Omnia on rdk-next branch - Nov_30_11_2020 Camera - Support RTSP streaming with RMS in Dunfell branch - REFPLTCAM-86 - Validate CVR use case in RPI3 with dunfell branch - REFPLTCAM-82 - Support Normal Thumbnail in RPI3 with Dunfell branch - REFPLTCAM-88 - Support Firmware upgrade in RPI3 with dunfell branch - REFPLTCAM-87 - Smart Home with Security Surveillance Video Streaming (Proof of Concept) - Face detection - Thumbnail support - RTSP Streaming Video - Yocto 3.1 (dunfell) build framework support on rdk-next RPi RDK image builds NEW - Supports generation of both media client and hybrid gateway generic images - Smart Home with Security Surveillance Video Streaming (Proof of Concept) - Thumbnail Notification handling - Picture-in-Picture video playback - IOT device control application - RDK Services on x86 PC Emulator NEW - Supports Controller UI - Services: DeviceInfo,
1.8	31 Oct 2020	Broadband Yocto 3.1 Turris Omnia - Synchronizing from topic branches to mainstream branches - Synchronizing yocto 3.1 changes in meta-turris layer - REFPLTB-807 - Git tagged releases for Turris Omnia on rdk-next branch - Oct_30_10_2020 Camera - Validation of RDK-C use cases of CVR, Normal thumbnail and firmware upgrade in RPI-3B+ target. - REFPLTCAM-74 - CVR crash issue was fixed - REFPLTCAM-69 - Supported firmware upgrade with both ethernet and wifi Mac - REFPLTCAM-77 - CVR build issue was fixed - REFPLTCAM-76 Video - Firmware Control service on HYB and MC images - Wifi service enabled for HYB images - Yocto 3.1 Migration on rdk-next build - Phase 1 - Parsing errors were resolved and RPi specific changes are merged - Supporting Jenkins team to merge Comcast migration changes into rdk-next - meta-wpe layer removal - Supported all images including RefApp image where video and graphics issue fixed - RMF Streamer crash was fixed

1.7	30 Sept 2020	• Support rdk-generic-camera-image for RPI-3 target - REFPLTCAM-67 • Validate RMS Feature in RPI3 B+ - REFPLTCAM-75 • Upstream patches in `meta-rdk-camera` - REFPLTCAM-2 • After initial bootup RPI-0 target not up on reboot. - REFPLTCAM-71 • Graphics and Video rendering issue resolved on RPi for RDK Service integration - REFPLTV-597, REFPLTV-594 • Bluetooth RDK service enabled for both MediaClient and Hybrid Gateway - REFPLTV-610 • RDK Services on RPi Generic MediaClient • RDK Services on RPi Generic Hybrid Gateway • Yocto 3.1 Turris Omnia - Synchronizing from topic branches to mainstream branches - REFPLTB-808 • Git tagged releases for Turris Omnia on rdk-next branch - Sep_30_09_2020_RDKB_Gateway
1.6	31 Aug 2020	Updated Release Information, Release Identification for 2020 M8 Release Updated Features supported for this sprint and Community tickets addressed • Yocto 3.1 integration and validation for rdk-generic-camera-image - REFPLTCAM-31(REFPLTCAM-55,REFPLTCAM-56,REFPLTCAM-57,REFPLTCAM-60) • Telemetry with cron job support - REFPLTB-607 • RDKServices on Raspberrypi 's Firebolt® Media Client Image - REFPLTV-514 • Yocto-3.1 Turris-Omnia Opensync Integration with Plume NOC and MeshAgent Support - REFPLTB-750 • Git tagged releases for Turris Omnia on rdk-next branch - Aug_31_08_2020
1.5	31 Jul 2020	Updated Release Information, Release Identification for 2020 M7 Release Updated Features supported for this sprint and Community tickets addressed • Integrated SNMP module in RDKB stack in RPI - REFPLTB-714 • RDKB Emulator hal refactoring - REFPLTB-758 • Online / Offline status of connected devices on RDKB in R-Pi - REFPLTB-622 • Fixed high priority run-time/build time issues: Yocto 3.1 RDK MediaClient Generic Image - REFPLTV-474 • Validation and fixes for runtime issues for Yocto 3.1 RDK Hybrid Generic image - REFPLTV-473 • Integrate yocto3.1 for rdk-generic-camera-image - REFPLTCAM-31 • Yocto 3.1 dunfell RDKB build for Turris Omnia: Brought all RDKB feature that are available in rdk-next build - REFPLTB-566 • Git tagged release build(rdk-next) for Turris omnia - REFPLTB-680
1.4	30 Jun 2020	Updated Release Information, Release Identification for 2020 M6 Release Updated Features supported for this sprint and Community tickets addressed • Firmware upgrade through XCONF server in Turris Omnia Platform - REFPLTB-665 • Added RDKM logo support in UI page and corresponding syndication DM parameters also updated with respect to emulator - REFPLTB-623 • Added Firmware Upgrade with http protocol support in rpi platform - REFPLTB-659 • Supported Normal Thumbnail feature for RPI-0 Device - REFPLTCAM-15 • Validation and fixes for various runtime/build time failures for rdk-generic-mediaclient-image - REFPLTV-474
1.3	29 May 2020	Updated Release Information, Release Identification for 2020 M5 Release Updated Features supported for this sprint and Community tickets addressed • <i>vc4graphics</i> and <i>v4l2</i> enabled for RDK Hybrid Thunder image on RPI platform to resolve MPEG TS streams playback issue - REFPLTV-433 • RDK Generic Hybrid image support on RPI platform from yocto 3.1 manifest - REFPLTV-473 • RDK Generic Mediaclient image support on RPI platform from yocto 3.1 fixing Issues - REFPLTV-474 • Yocto - 3.1 support in Turris Omnia Target - RDK Broadband generic gateway image - REFPLTB-566 • Implemented the hal-dhcpv4c api's for successfully fetching of Device.DHCPv4.Client.{i} data model tree - REFPLTB-635 • Supported Firmware Upgrade with XConf server for RDK-C - REFPLTCAM-21
1.2	30 Apr 2020	Updated Release Information, Release Identification for 2020 M4 Release Updated Features supported for this sprint and Community tickets addressed • Yocto-3.1 core minimal image support in Turris Omnia target (REFPLTB-564) • Yocto-3.1 RDK generic media client image support in R-Pi(REFPLTV-412) • EMS Refactored to RMS (REFPLTCAM-11 REFPLTCAM-18 REFPLTCAM-19 REFPLTCAM-20 and REFPLTCAM-2) • CVR Support in AWS cloud through gstreamer kvs sink (REFPLTCAM-10) • RDK Telemetry support in Emulator(REFPLTB-563)

1.1	31 Mar 2020	Updated Release Information, Release Identification for 2020 M3 Release Updated Features supported for this sprint and Community tickets addressed Updated Known Issues and Limitations for • Band Steering Support in RPI - RDKB (REFPLTB-432) • Bring WebPA support for Turris Omnia - RDKB (REFPLTB-550) • Continuous Video Recording (CVR) - RDKC (REFPLTCAM-10)
1.0	02 Mar 2020	Updated Release Information, Release Identification for 2020 M2 Release Updated Features supported for this sprint and Community tickets addressed • Super POD connectivity to <i>Plume</i> cloud server through Turris Omnia RDKB Gateway (REFPLTB-434) • Wi-Fi Hostapd dynamic Configuration - Turris Omnia (REFPLTB-539) • Emulator for Developer in rdk-next branch (REFPLTB-540 & REFPLTB-541) • IO connector plugin in R-PI Thunder image (REFPLTV-393) • Community Tickets (REFPLTB-528 & REFPLTB-487)

Contents

- [Introduction](#)
- [Release Information](#)
- [Hardware and Software Requirements](#)
 - [Hardware Requirements](#)
 - [Broadband](#)
 - [Video](#)
 - [Camera](#)
 - [System Requirements](#)
- [Known Issues and Limitations](#)
 - [Video](#)
- [Project Documentation](#)
- [Technical Support contact](#)

Introduction

This Release Notes document details for the delivery of version 2021 M5 for the RDK Reference Platform to the RDK Community

1. Release Feature Information
2. Software and Hardware requirements to build
3. Known limitations
4. Updated Platform Tickets

Release Information

Below is the list of release features supporting Turris Omnia, R-Pi, and Emulator platforms.



[REFPLTV-894](#) - Jira project doesn't exist or you don't have permission to view

it.



[REFPLTV-973](#) - Jira project doesn't exist or you don't have permission to view

it.

S. No.	Feature	Device	Profile	Tickets	R
--------	---------	--------	---------	---------	---

1	Telemetry 2.0 support in RPI	RPI	RDK-B	KeySummaryStatus No issues found
2	Rpi4 Extender bringup with opensync_2.0	RPI	RDK-B	 REFPLTB-1070 - Jira project doesn't exist or you don't have permission to view it.
3	Common Wi-Fi HAL for reference platform	Rpi and Turris-Omnia	RDK-B	 REFPLTB-1146 - Jira project doesn't exist or you don't have permission to view it. Sub-task tickets  REFPLTB-1147 - Jira project doesn't exist or you don't have permission to view it.
4	Zilker-SDK Yocto integration for RDKB RPI	RPI	RDK-B	KeySummaryStatus No issues found
5	Community Tickets	Turris-Omnia	RDK-B	 REFPLTB-1097 - Jira project doesn't exist or you don't have permission to view it.
6	Bug Fixes	Turris-Omnia	RDK-B	 REFPLTB-1100 - Jira project doesn't exist or you don't have permission to view it.
7	Community Support	RPI	RDK-B	 REFPLTB-1139 - Jira project doesn't exist or you don't have permission to view it.
8	Pipewire	RPI	RDK-C	 REFPLTCAM-134 - Jira project doesn't exist or you don't have permission to view it.

9	Community Tickets	RPI	RDK-C	 REFPLTCAM-127 - Jira project doesn't exist or you don't have permission to view it.
10	RDk Apps UI Tickets	RPI	RDk-V	KeySummaryTCreatedUpdatedDueAssigneeReporterPStatusResolution No issues found
11	Upgrade the kernel to 5.10	RPI	RDk-V	 REFPLTV-894 - Jira project doesn't exist or you don't have permission to view it.
13	Community Tickets	RPI	RDk-V	KeySummaryTCreatedUpdatedDueAssigneeReporterPStatusResolution No issues found

Hardware and Software Requirements

Hardware Requirements

Broadband

Supported software and hardware

- Preferred 2.4GHZ WIFI adapter for Emulator: Tenda 150Mbps Wireless PICO USB Adapter with RT5370 chipset (W311MI) (or) Preferred 2.4GHZ WIFI adapter for Emulator: TP-Link AC1200 Wireless Dual Band USB Adapter (Archer T4U)
- Preferred 5GHZ WIFI adapter for Emulator/RPI: TP-Link AC1200 Wireless Dual Band USB Adapter (Archer T4U)
- Preferred xfinity-wifi 2.4GHZ WIFI adapter for RPI: TP-LINK TL-WN823N 300Mbps Mini Wireless N USB Adapter
- New dongle - Ultra-fast 1300 (867+400) mbps wireless speed with 802.11ac
- Turris Omnia Target for Wi-Fi Extender functionality
- USB to Ethernet
- Desktop PCs
- 8 GB SD-Card

Video

- Raspberrypi 3 Model B+ - 1 No.
- Power Supply (Output: 5V 2A) - 1 No.
- HDMI Supported TV - 1 No.
- HDMI cable - 1 No.
- Micro SD Card - 1 No.
- Card Reader - 1 No.
- Keyboard - 1 No.

Camera

- Raspberrypi 3 Model B+ - 1 No.
- USB webcam - 1 No.
- Power Supply (Output: 5V 2A) - 1 No.
- HDMI Supported TV - 1 No.
- HDMI cable - 1 No.
- Micro SD Card - 1 No.
- Card Reader - 1 No.
- Keyboard - 1 No.

System Requirements

- [How to Build#SettinguptheHostEnvironment](#) - This Link provides the Software and System requirements for both Yocto 2.2 (Morty) and Yocto 3.1 (Dunfell) builds

Known Issues and Limitations

Broadband :

- Telemetry 2.0 was validated only in dbus mode because rbus support is not available in RPI.
- Telemetry 2.0 related testing with webconfig are not validated yet because webconfig support is not available in RPI.

Project Documentation

Below is the list of supporting documents that are part of the release

1	Build Instructions	Camera • RDK-C rdk-next Yocto 3.1 dunfell build for Raspberrypi Video • RDK-V rdk-next Yocto 3.1 dunfell build for Raspberrypi Broadband • Release(Dunfell) - RPI 3B/3B+ Model Reference Platform • General (Morty) - RDK-B Raspberrypi - Host SetUp and Build Instructions#BRaspberrypi-HostSetUpandBuildInstructions-YoctoBuildSteps • RPI 4B(dunfell) - RPI 4B Model Reference Platform • Turris Omnia Gateway - Turris Omnia RDK-B Gateway - Yocto 3.1 (Dunfell) • Turris Omnia Extender - RDKB Extender Yocto 3.1 - Dunfell	The wiki links provided here give the Linux commands to setup Yocto Project build framework's workspace and to generate RDK images.
2	High Level Design	Broadband • Telemetry 2.0 support in RDKB RPI	An high level design document which explains the design flow of each and every feature also covers Design Considerations, Architecture, Data Model, Limitations and Future Enhancements
3	User Manual	Broadband - RPI, Turris Omnia • Telemetry 2.0 support for RDKB RPI -User Manual • Zilker-SDK Yocto integration for RDKB RPI • RPI4 Extender profile bringup with opensync_2.0 Camera • Release feature user manual - Camera - 2021 - M5 ◦ RDK-C : Continuous Video Recording (CVR) ◦ RDK-C Firmware Upgrade with HTTP and TFTP support	The user manual consists of a procedure to test the particular feature also covers Environment setup, Executing the System, and Troubleshooting steps
4	System Test Plan Results	Broadband • System Test Plan and Report - Broadband - 2021 - M5 ◦ E-09874-01-01STP93.xls Camera • System Test Plan and Report - Camera - 2021 - M5 ◦ E-09874-01-01STP91.xls ◦ E-09874-01-01STP92.xls	This document contains multiple test cases and test results which are captured after test execution
5	Release Notes	RFP - Release Notes - 2021 - M5	Release Notes -This document

Technical Support contact

- [Rajkumar Narayanan](#) (rajkumar_narayanan@comcast.com)