

# Errors Faced in 64 Bit RPI Workspace Creation in Local Machine

While creating workspace in my local machine , I have encountered with some errors :

I made changes according to those errors some were resolved and some are still there , sometimes the error are coming sometimes not.

Earlier I was facing two errors :

| Errors                                               | Components in which Error Present |
|------------------------------------------------------|-----------------------------------|
| undefined reference to 'swctl                        | Utopia                            |
| Setting a pointer/reference variable may leak memory | SWIG                              |

| Compilation Errors in openssl | Openssl |
|-------------------------------|---------|
|-------------------------------|---------|

## Detailed Explanation of Errors :

### Undefined Reference to SWCTL:

```
ERROR: utopia-1.99-r0 do_compile: oe_runmake failed
ERROR: utopia-1.99-r0 do_compile: Function failed: do_compile (log file is located at /home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/temp/log.do_compile.15860)
ERROR: Logfile of failure stored in: /home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/temp/log.do_compile.15860
Log data follows:
| DEBUG: Executing python function externalsrc_compile_prefunc
| NOTE: utopia: compiling from external source tree /home/chtsl00463/Workspace/meta-cmf/./rdkb/components/opensource/ccsp/Utopia
| DEBUG: Python function externalsrc_compile_prefunc finished
| DEBUG: SITE files ['endian-little', 'bit-32', 'ix86-common', 'common-linux', 'common-glibc', 'i586-linux', 'common']
| DEBUG: Executing shell function do_compile
| NOTE: make -j 8
| make all-recursive
| make[1]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99'
| Making all in source
| make[2]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source'
| Making all in ulog
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/ulog'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/ulog'
| Making all in syscfg
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg'
| Making all in lib
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg/lib'
| make[4]: Nothing to be done for 'all'.
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg/lib'
| Making all in cmd
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg/cmd'
| make[4]: Nothing to be done for 'all'.
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg/cmd'
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg'
| make[4]: Nothing to be done for 'all'.
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg'
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/syscfg'
| Making all in sysevent
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/sysevent'
| Making all in lib
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/sysevent/lib'
| make[4]: Nothing to be done for 'all'.
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/sysevent/lib'
| Making all in control
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/sysevent/control'
```

[illegible]

[illegible]

```

| Making all in service_routed
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_routed'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_routed'
| Making all in service_ipv6
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_ipv6'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_ipv6'
| Making all in scripts
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts'
| Making all in init
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init'
| Making all in c_registration
| make[5]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/c_registration'
| make[5]: Nothing to be done for 'all'.
| make[5]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/c_registration'
| Making all in src
| make[5]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src'
| Making all in execute_dir
| make[6]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src/execute_dir'
| make[6]: Nothing to be done for 'all'.
| make[6]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src/execute_dir'
| Making all in apply_system_defaults
| make[6]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src/apply_system_defaults'
| make[6]: Nothing to be done for 'all'.
| make[6]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src/apply_system_defaults'
| make[6]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src'
| make[6]: Nothing to be done for 'all-am'.
| make[6]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src'
| make[5]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init
/src'
| make[5]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init'
| make[5]: Nothing to be done for 'all-am'.
| make[5]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init'
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts/init'
| make[4]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts'
| make[4]: Nothing to be done for 'all-am'.
| make[4]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts'
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/scripts'
| Making all in service_multinet
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_multinet'
| ../i586-rdk-linux-libtool --tag=CC --mode=link i586-rdk-linux-gcc -m32 -march=i586 --sysroot=/home/chtsl00463/Workspace/build-qemux86broadband
/tmp/sysroots/qemux86broadband -Os -pipe -g -feliminate-unused-debug-types -fdebug-prefix-map=/home/chtsl00463/Workspace/build-
qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0=/usr/src/debug/utopia/1.99-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-
qemux86broadband/tmp/sysroots/x86_64-linux= -fdebug-prefix-map=/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots
/qemux86broadband= -DFEATURE_SUPPORT_RDKLOG -Wall -Werror -Wextra -Wno-pointer-sign -Wno-sign-compare -Wno-deprecated-declarations -
Wno-type-limits -Wno-unused-parameter -Wno-return-local-addr -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots
/qemux86broadband/usr/include/ccsp -DCONFIG_BUILD_TRIGGER -D_COSA_HAL_ -U_COSA_SIM_ -fno-exceptions -ffunction-sections -fdata-
sections -fomit-frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN_ -
D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -
D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -
D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE_ -
DINCLUDE_BREAKPAD -DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -
DCCSP_SUPPORT_ENABLED -D_COSA_SIM_ -DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM_ -
DFEATURE_RDKB_WAN_MANAGER -DFEATURE_FWUPGRADE_MANAGER -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp
/sysroots/qemux86broadband/usr/include/libsafe -D_WAN_MANAGER_ENABLED_ -DFEATURE_RDKB_WAN_MANAGER -Wno-format-extra-args -
Wno-error -lccsp_common -ldbuss-1 -Wl,-O1 -Wl,-hash-style=gnu -Wl,-as-needed -lrdloggers -lpthread -lhal_platform -lbreakpadwrapper -Wl,-no-as-
needed -lbreakpadwrapper -Wl,-as-needed -lsafe-3.5.1 -lnanomsg -lsecurer_wrapper -o service_multinet_exec service_multinet_exec-ep_access.o
service_multinet_exec-ev_access.o service_multinet_exec-nv_access.o service_multinet_exec-service_multinet_handler.o service_multinet_exec-
service_multinet_lib.o service_multinet_exec-service_multinet_main.o service_multinet_exec-service_multinet_swfab.o service_multinet_exec-
service_multinet_swfab_deps.o service_multinet_exec-service_multinet_swfab_ep.o service_multinet_exec-service_multinet_swfab_LiniF.o util
/service_multinet_exec-service_multinet_util.o Puma6_plat/service_multinet_exec-puma6_plat_map.o Puma6_plat/service_multinet_exec-puma6_plat_sw.
o Puma6_plat/service_multinet_exec-handle_sw.o Puma6_plat/service_multinet_exec-configure_l2switch.o ../source/util/utls/libutopiautil.la ../source
/services/lib/libsvmgr.la ../source/sysevent/lib/libsysevent.la ../source/syscfg/lib/libsyscfg.la ../source/ulog/libulog.la -ltelemetry_msgsender
| i586-rdk-linux-libtool: link: i586-rdk-linux-gcc -m32 -march=i586 --sysroot=/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots

```

```

/qemux86broadband -Os -pipe -g -feliminate-unused-debug-types -fdebug-prefix-map=/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work
/i586-rdk-linux/utopia/1.99-r0=/usr/src/debug/utopia/1.99-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots
/x86_64-linux= -fdebug-prefix-map=/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband= -
DFEATURE_SUPPORT_RDKLOG -Wall -Werror -Wextra -Wno-pointer-sign -Wno-sign-compare -Wno-deprecated-declarations -Wno-type-limits -Wno-
unused-parameter -Wno-return-local-addr -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/include/ccsp -
DCONFIG_BUILD_TRIGGER -D_COSA_HAL_ -U_COSA_SIM_ -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing
-DCONFIG_SYSTEM_MOCA -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -
D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED_ -
D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -
D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -DINCLUDE_BREAKPAD -DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -
DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -DCCSP_SUPPORT_ENABLED -D_COSA_SIM_ -
DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM_ -DFEATURE_RDKB_WAN_MANAGER -
DFEATURE_FWUPGRADE_MANAGER -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/include/libsafe -
D_WAN_MANAGER_ENABLED_ -DFEATURE_RDKB_WAN_MANAGER -Wno-format-extra-args -Wno-error -Wl,--hash-style=gnu -Wl,--as-
needed -Wl,--no-as-needed -Wl,--as-needed -o .libs/service_multinet_exec service_multinet_exec-ep_access.o service_multinet_exec-ev_access.o
service_multinet_exec-nv_access.o service_multinet_exec-service_multinet_handler.o service_multinet_exec-service_multinet_lib.o
service_multinet_exec-service_multinet_main.o service_multinet_exec-service_multinet_swfab.o service_multinet_exec-service_multinet_swfab_deps.o
service_multinet_exec-service_multinet_swfab_ep.o service_multinet_exec-service_multinet_swfab_LinIF.o util/service_multinet_exec-
service_multinet_util.o Puma6_plat/service_multinet_exec-puma6_plat_map.o Puma6_plat/service_multinet_exec-puma6_plat_sw.o Puma6_plat
/service_multinet_exec-handle_sw.o Puma6_plat/service_multinet_exec-configure_l2switch.o /home/chtsl00463/Workspace/build-qemux86broadband/tmp
/sysroots/qemux86broadband/usr/lib/libccsp_common.so -lssl -lcrypto -lz -lrbus-core -lrtMessage -lrbus /home/chtsl00463/Workspace/build-
qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libdbus-1.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots
/qemux86broadband/usr/lib/libsystemd.so -lcap -lrt -lresolv /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr
/lib/liblzma.so ../source/util/utis/.libs/libutopiautil.so ../source/services/lib/.libs/libsrvmgr.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp
/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/sysevent/lib/.libs/libsysevent.so ../source/sysevent/lib/.libs/libsysevent.so ../source/syscfg/lib/.libs/
ibsyscfg.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source/ulog/.libs/libulog.so ../
source/ulog/.libs/libulog.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libhal_platform.so /home
/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libbreakpadwrapper.so -lbreakpad_client -lnanomsg /home
/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libsecure_wrapper.so /home/chtsl00463/Workspace/build-
qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/librdkloggers.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots
/qemux86broadband/usr/lib/liblog4c.so -lpthread /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libsafe-
3.5.1.so /home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/qemux86broadband/usr/lib/libstdc++.so -lm -ltelemetry_msgsender -pthread
| ERROR: oe_runmake failed
| ../.libs/librdkb/components/opensource/ccsp/Utopia/source/service_multinet/Puma6_plat/handle_sw.c:111: error: undefined reference to 'swctl'
| ../.libs/librdkb/components/opensource/ccsp/Utopia/source/service_multinet/Puma6_plat/handle_sw.c:138: error: undefined reference to 'swctl'
| ../.libs/librdkb/components/opensource/ccsp/Utopia/source/service_multinet/Puma6_plat/handle_sw.c:178: error: undefined reference to 'swctl'
| ../.libs/librdkb/components/opensource/ccsp/Utopia/source/service_multinet/Puma6_plat/handle_sw.c:208: error: undefined reference to 'swctl'
| collect2: error: ld returned 1 exit status
| Makefile:539: recipe for target 'service_multinet_exec' failed
| make[3]: *** [service_multinet_exec] Error 1
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source
/service_multinet'
| Makefile:385: recipe for target 'all-recursive' failed
| make[2]: *** [all-recursive] Error 1
| make[2]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99/source'
| Makefile:420: recipe for target 'all-recursive' failed
| make[1]: *** [all-recursive] Error 1
| make[1]: Leaving directory '/home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0/utopia-1.99'
| Makefile:352: recipe for target 'all' failed
| make: *** [all] Error 2
| ERROR: Function failed: do_compile (log file is located at /home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/i586-rdk-linux/utopia/1.99-r0
/temp/log.do_compile.15860)
ERROR: Task (/home/chtsl00463/Workspace/meta-rdk-broadband/recipes-ccsp/util/utopia.bb:do_compile) failed with exit code '1'
ERROR: python-m2crypto-native-0.23.0-r0 do_compile: python setup.py build execution failed.
ERROR: python-m2crypto-native-0.23.0-r0 do_compile: Function failed: do_compile (log file is located at /home/chtsl00463/Workspace/build-
qemux86broadband/tmp/work/x86_64-linux/python-m2crypto-native/0.23.0-r0/temp/log.do_compile.16057)

```

### Setting a pointer/reference variable may leak memory:

```

ERROR: Logfile of failure stored in: /home/chtsl00463/Workspace/build-qemux86broadband/tmp/work/x86_64-linux/python-m2crypto-native/0.23.0-r0/temp
/log.do_compile.16057
Log data follows:
| DEBUG: Executing shell function do_compile
| running build
| running build_py
| running build_ext
| building 'M2Crypto._m2crypto' extension
| swigging SWIG/_m2crypto.i to SWIG/_m2crypto_wrap.c
| swig -python -D_x86_64 -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include -I/home/chtsl00463
/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include/python2.7 -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp
/sysroots/x86_64-linux/usr/include -linclude/x86_64-linux-gnu -includeall -modern -builtin -outdir build/lib.linux-x86_64-2.7/M2Crypto -o SWIG
/_m2crypto_wrap.c SWIG/_m2crypto.i
| SWIG/_bio.i:64: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_rand.i:21: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_evp.i:166: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_dh.i:36: Warning 454: Setting a pointer/reference variable may leak memory.

```

```

| SWIG/_rsa.i:43: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_dsa.i:31: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_ssl.i:239: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_ssl.i:240: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_x509.i:323: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_pkcs7.i:44: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_pkcs7.i:44: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_util.i:11: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_ec.i:111: Warning 454: Setting a pointer/reference variable may leak memory.
| SWIG/_engine.i:168: Warning 454: Setting a pointer/reference variable may leak memory.
| gcc -DDEBUG -g -O3 -Wall -Wstrict-prototypes -isystem/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include -
O2 -pipe -isystem/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include -fPIC -I/home/chtsl00463/Workspace
/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr
/include/python2.7 -I/home/chtsl00463/Workspace/build-qemux86broadband/tmp/sysroots/x86_64-linux/usr/include -linclude/x86_64-linux-gnu -I/home
/chtsl00463/Workspace/build-qemux86broadband/tmp/work/x86_64-linux/python-m2crypto-native/0.23.0-r0/M2Crypto-0.23.0/SWIG -c SWIG
/_m2crypto_wrap.c -o build/temp.linux-x86_64-2.7/SWIG/_m2crypto_wrap.o -DTHREADING
| SWIG/_m2crypto_wrap.c:5431:1: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
| RC4_KEY *rc4_new(void) {
| ^~~~~~
| EC_KEY
| SWIG/_m2crypto_wrap.c: In function 'rc4_new':
| SWIG/_m2crypto_wrap.c:5432:5: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|     RC4_KEY *key;
|     ^~~~~~
|     EC_KEY
| SWIG/_m2crypto_wrap.c:5434:18: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|     if (!(key = (RC4_KEY *)PyMem_Malloc(sizeof(RC4_KEY))))
|         ^~~~~~
|         EC_KEY
| SWIG/_m2crypto_wrap.c:5434:18: note: each undeclared identifier is reported only once for each function it appears in
| SWIG/_m2crypto_wrap.c:5434:27: error: expected expression before ')' token
|     if (!(key = (RC4_KEY *)PyMem_Malloc(sizeof(RC4_KEY))))
|         ^
| SWIG/_m2crypto_wrap.c: At top level:
| SWIG/_m2crypto_wrap.c:5439:15: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
| void rc4_free(RC4_KEY *key) {
|     ^~~~~~
|     EC_KEY
| SWIG/_m2crypto_wrap.c:5443:23: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
| PyObject *rc4_set_key(RC4_KEY *key, PyObject *value) {
|     ^~~~~~
|     EC_KEY
| SWIG/_m2crypto_wrap.c:5455:22: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
| PyObject *rc4_update(RC4_KEY *key, PyObject *in) {
|     ^~~~~~
|     EC_KEY
| SWIG/_m2crypto_wrap.c:5474:20: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
| int rc4_type_check(RC4_KEY *key) {
|     ^~~~~~
|     EC_KEY
| SWIG/_m2crypto_wrap.c:7208:2: warning: function declaration isn't a prototype [-Wstrict-prototypes]
| *x509v3_lhash() {
| ^~~~~~
| SWIG/_m2crypto_wrap.c: In function 'x509v3_lhash':
| SWIG/_m2crypto_wrap.c:7209:12: warning: return from incompatible pointer type [-Wincompatible-pointer-types]
|     return lh_new(NULL, NULL); /* Should probably be lh_CONF_VALUE_new but won't compile. */
|     ^~~~~~
| SWIG/_m2crypto_wrap.c: In function '_wrap_ripemd160':
| SWIG/_m2crypto_wrap.c:11029:22: warning: implicit declaration of function 'EVP_ripemd160'; did you mean 'SN_ripemd160'? [-Wimplicit-function-
declaration]
|     result = (EVP_MD *)EVP_ripemd160();
|         ^~~~~~
|         SN_ripemd160
| SWIG/_m2crypto_wrap.c:11029:12: warning: cast to pointer from integer of different size [-Wint-to-pointer-cast]
|     result = (EVP_MD *)EVP_ripemd160();
|         ^
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4':
| SWIG/_m2crypto_wrap.c:11398:26: warning: implicit declaration of function 'EVP_rc4'; did you mean 'EVP_dss'? [-Wimplicit-function-declaration]
|     result = (EVP_CIPHER *)EVP_rc4();
|         ^~~~~~
|         EVP_dss
| SWIG/_m2crypto_wrap.c:11398:12: warning: cast to pointer from integer of different size [-Wint-to-pointer-cast]
|     result = (EVP_CIPHER *)EVP_rc4();
|         ^
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4_new':
| SWIG/_m2crypto_wrap.c:13173:3: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|     RC4_KEY *result = 0;
|     ^~~~~~
|     EC_KEY

```

```

| SWIG/_m2crypto_wrap.c:13176:13: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|   result = (RC4_KEY *)rc4_new();
|           ^~~~~~
|           EC_KEY
| SWIG/_m2crypto_wrap.c:13176:22: error: expected expression before ')' token
|   result = (RC4_KEY *)rc4_new();
|           ^
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4_free':
| SWIG/_m2crypto_wrap.c:13186:3: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|   ^~~~~~
|   EC_KEY
| SWIG/_m2crypto_wrap.c:13186:20: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^~~~~~
|           EC_KEY
| SWIG/_m2crypto_wrap.c:13186:29: error: expected expression before ')' token
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^
| SWIG/_m2crypto_wrap.c:13196:20: error: expected expression before ')' token
|   arg1 = (RC4_KEY *) (argp1);
|           ^
| SWIG/_m2crypto_wrap.c:13202:3: warning: implicit declaration of function 'rc4_free'; did you mean 'UI_free'? [-Wimplicit-function-declaration]
|   rc4_free(arg1);
|   ^~~~~~
|   UI_free
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4_set_key':
| SWIG/_m2crypto_wrap.c:13212:3: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|   ^~~~~~
|   EC_KEY
| SWIG/_m2crypto_wrap.c:13212:20: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^~~~~~
|           EC_KEY
| SWIG/_m2crypto_wrap.c:13212:29: error: expected expression before ')' token
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^
| SWIG/_m2crypto_wrap.c:13225:20: error: expected expression before ')' token
|   arg1 = (RC4_KEY *) (argp1);
|           ^
| SWIG/_m2crypto_wrap.c:13234:24: warning: implicit declaration of function 'rc4_set_key'; did you mean 'AES_set_key'? [-Wimplicit-function-declaration]
|   result = (PyObject *)rc4_set_key(arg1,arg2);
|           ^~~~~~
|           AES_set_key
| SWIG/_m2crypto_wrap.c:13234:12: warning: cast to pointer from integer of different size [-Wint-to-pointer-cast]
|   result = (PyObject *)rc4_set_key(arg1,arg2);
|           ^
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4_update':
| ERROR: python setup.py build execution failed.
| SWIG/_m2crypto_wrap.c:13246:3: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|   ^~~~~~
|   EC_KEY
| SWIG/_m2crypto_wrap.c:13246:20: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^~~~~~
|           EC_KEY
| SWIG/_m2crypto_wrap.c:13246:29: error: expected expression before ')' token
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^
| SWIG/_m2crypto_wrap.c:13259:20: error: expected expression before ')' token
|   arg1 = (RC4_KEY *) (argp1);
|           ^
| SWIG/_m2crypto_wrap.c:13268:24: warning: implicit declaration of function 'rc4_update'; did you mean 'sign_update'? [-Wimplicit-function-declaration]
|   result = (PyObject *)rc4_update(arg1,arg2);
|           ^~~~~~
|           sign_update
| SWIG/_m2crypto_wrap.c:13268:12: warning: cast to pointer from integer of different size [-Wint-to-pointer-cast]
|   result = (PyObject *)rc4_update(arg1,arg2);
|           ^
| SWIG/_m2crypto_wrap.c: In function '_wrap_rc4_type_check':
| SWIG/_m2crypto_wrap.c:13280:3: error: unknown type name 'RC4_KEY'; did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|   ^~~~~~
|   EC_KEY
| SWIG/_m2crypto_wrap.c:13280:20: error: 'RC4_KEY' undeclared (first use in this function); did you mean 'EC_KEY'?
|   RC4_KEY *arg1 = (RC4_KEY *) 0 ;
|           ^~~~~~

```







```

| ../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/user_openssl.c:375:36: error:
dereferencing pointer to incomplete type 'SSL' {aka 'struct ssl_st'}
| 375 | if (SSL_connect (ssl) <= 0 || ssl->state != SSL_ST_OK)
|     | ^~
| ../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/user_openssl.c:375:47: error:
'SSL_ST_OK' undeclared (first use in this function); did you mean 'TLS_ST_OK'?
| 375 | if (SSL_connect (ssl) <= 0 || ssl->state != SSL_ST_OK)
|     | TLS
|     | ^~~~~~
|     | TLS_ST_OK
| ../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/user_openssl.c:375:47: note:
each undeclared identifier is reported only once for each function it appears in
| arm-rdk-linux-gnueabi-libtool: compile: arm-rdk-linux-gnueabi-gcc -mthumb -mfpv=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.
99+git999-r0/recipe-sysroot -DHAVE_CONFIG_H -I. -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source
/util_api/ansc/AnscPlatform -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include/linux -I.
../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I../../../../../../rdk/components
/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/PoamIrepFolder -I../../../../../../rdk/components/opensource
/ccsp/CcspCommonLibrary/source/cosa/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa
/utilities/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwsp/include -I../../../../../../rdk
/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/include -I../../../../../../rdk/components/opensource/ccsp
/CcspCommonLibrary/source/cosa/package/bmw2/bree/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary
/source/cosa/package/bmw2/beep/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package
/bmw2/bwrm/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/system/include -I../../../../
rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/include -I../../../../../../rdk
/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/dslh/include -I../../../../../../rdk/components
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/bmc2/include -I../../../../../../rdk/components/opensource
/ccsp/CcspCommonLibrary/source/cosa/package/cli/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary
/source/cosa/package/bmc2/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I.
../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/include -I../../../../../../rdk/components
/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/include -I../../../../../../rdk/components/opensource/ccsp
/CcspCommonLibrary/source/ccsp/components/common/MessageBusHelper/include -I../../../../../../rdk/components/opensource/ccsp
/CcspCommonLibrary/source/ccsp/custom -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/tls
/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscCrypto -I../../../../../../rdk
/components/opensource/ccsp/CcspCommonLibrary/source/util_api/web/include -I../../../../../../rdk/components/opensource/ccsp
/CcspCommonLibrary/source/util_api/ansc/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source
/util_api/stun/include -I../../../../../../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/include -I../../../../
rdk/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/utilities/include -I../../../../../../rdk/components
/opensource/ccsp/CcspCommonLibrary/source/util_api/asn.1/include -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -Os -pipe -
g -feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-
neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.
99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-
broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot -fdebug-prefix-map=/home
/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.
99+git999-r0/recipe-sysroot-native -DFEATURE_SUPPORT_RDKLOG -D_GNU_SOURCE -D_USE_XOPEN -I/home/chtsl00463/Workspace/build-
raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr
/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-
common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp
/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rbus -I/home/chtsl00463
/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-
sysroot/usr/include/rtmessage -Wall -Werror -Wextra -D_COSA_HAL -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-
frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -
D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -
D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -
DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -DINCLUDE_BREAKPAD -
DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -DCCSP_SUPPORT_ENABLED -
DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM -DDSLITE_FEATURE_SUPPORT -DDDNS_BROADBANDFORUM -
DDEVICE_GATEWAY_ASSOCIATION_FEATURE -DFEATURE_RDKB_WAN_MANAGER -DFEATURE_FWUPGRADE_MANAGER -
DFEATURE_RDKB_GPON_MANAGER -DFEATURE_RDKB_XDSL_PPP_MANAGER -DRDKB_EXTENDER_ENABLED -I/home/chtsl00463
/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-
sysroot/usr/include/libsafe -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -
D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -
D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -
D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -
D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -D_COSA_BCM_ARM -DUSE_NOTIFY_COMPONENT -
D_PLATFORM_RASPBERRYPI -DENABLE_SD_NOTIFY -UPARODUS_ENABLE -DCONFIG_VENDOR_CUSTOMER_COMCAST -
DFEATURE_RDKB_WAN_MANAGER -MT libCcspCommonLibrary_AnsCPlatform_la-ansc_http_parser.lo -MD -MP -MF .deps
/libCcspCommonLibrary_AnsCPlatform_la-ansc_http_parser.Tpo -c ../../../../rdk/components/opensource/ccsp
/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/ansc_http_parser.c -o libCcspCommonLibrary_AnsCPlatform_la-ansc_http_parser.o >
/dev/null 2>&1
| cc1: all warnings being treated as errors
| Makefile:724: recipe for target 'libCcspCommonLibrary_AnsCPlatform_la-user_openssl.lo' failed
| make[5]: *** [libCcspCommonLibrary_AnsCPlatform_la-user_openssl.lo] Error 1
| make[5]: *** Waiting for unfinished jobs....
| arm-rdk-linux-gnueabi-libtool: compile: arm-rdk-linux-gnueabi-gcc -mthumb -mfpv=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.

```

99+git999-r0/recipe-sysroot -DHAVE\_CONFIG\_H -I. -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source  
util\_api/ansc/AnscPlatform -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include/linux -I.  
/../rdk/components/opensource/ccsp/CcspCommonLibrary/source/debug\_api/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa  
/utilities/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/custom -I./../rdk  
/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwsp/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/include -I./../rdk/components/opensource/ccsp  
/CcspCommonLibrary/source/cosa/package/bmw2/bree/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary  
/source/cosa/package/bmw2/beep/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package  
/bmw2/bwrm/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/system/include -I./../  
/rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/include -I./../rdk  
/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/dslh/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/bmc2/include -I./../rdk/components/opensource  
/ccsp/CcspCommonLibrary/source/cosa/package/cli/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary  
/source/cosa/package/bmc2/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/debug\_api/include -I.  
/../rdk/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/include -I./../rdk/components/opensource/ccsp  
/CcspCommonLibrary/source/ccsp/components/common/MessageBusHelper/include -I./../rdk/components/opensource/ccsp  
/CcspCommonLibrary/source/ccsp/custom -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util\_api/tls  
/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util\_api/ansc/AnscCrypto -I./../rdk  
/components/opensource/ccsp/CcspCommonLibrary/source/util\_api/web/include -I./../rdk/components/opensource/ccsp  
/CcspCommonLibrary/source/util\_api/ansc/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source  
/util\_api/stun/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/util\_api/http/include -I./../rdk  
/components/opensource/ccsp/CcspCommonLibrary/source/util\_api/http/utilities/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/util\_api/asn.1/include -D\_ANSC\_LINUX -D\_ANSC\_USER -D\_ANSC\_LITTLE\_ENDIAN -Os -pipe -g  
-feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=  
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.  
99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk  
-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot= -fdebug-prefix-map=/home  
/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.  
99+git999-r0/recipe-sysroot-native= -DFEATURE\_SUPPORT\_RDKLOG -D\_GNU\_SOURCE -D\_USE\_XOPEN -I/home/chtsl00463/Workspace/build-  
raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr  
/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-  
common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp  
/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rbus -I/home/chtsl00463  
/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-  
sysroot/usr/include/rmessage -Wall -Werror -Wextra -D\_COSA\_HAL -U\_COSA\_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-  
frame-pointer -fno-strict-aliasing -D\_CONFIG\_SYSTEM\_MOCA -D\_ANSC\_LINUX -D\_ANSC\_USER -D\_ANSC\_LITTLE\_ENDIAN -  
D\_CCSP\_CWMP\_TCP\_CONNREQ\_HANDLER -D\_DSLH\_STUN -D\_NO\_PKI\_KB5\_SUPPORT -D\_BBHM\_SSE\_FILE\_IO -D\_ANSC\_USE\_OPENSSL -  
DENABLE\_SA\_KEY -D\_ANSC\_AES\_USED -D\_COSA\_INTEL\_USG\_ARM -D\_COSA\_FOR\_COMCAST -D\_NO\_EXECINFO\_H -  
DFEATURE\_SUPPORT\_SYSLOG -DBUILD\_WEB -D\_NO\_ANSC\_ZLIB -D\_DEBUG -U\_ANSC\_IPV6\_COMPATIBLE -DINCLUDE\_BREAKPAD -  
DUSE\_NOTIFY\_COMPONENT -DNTPD\_ENABLE -DUTC\_ENABLE -DXDNS\_ENABLE -DMOCA\_HOME\_ISOLATION -DCCSP\_SUPPORT\_ENABLED -  
DFEATURE\_SUPPORT\_ONBOARD\_LOGGING -D\_RDK\_REF\_PLATFORM -DDSLITE\_FEATURE\_SUPPORT -DDDNS\_BROADBANDFORUM -  
DDEVICE\_GATEWAY\_ASSOCIATION\_FEATURE -DFEATURE\_RDKB\_WAN\_MANAGER -DFEATURE\_FWUPGRADE\_MANAGER -  
DFEATURE\_RDKB\_GPON\_MANAGER -DFEATURE\_RDKB\_XDSL\_PPP\_MANAGER -DRDKB\_EXTENDER\_ENABLED -I/home/chtsl00463  
/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-  
sysroot/usr/include/libsafer -U\_COSA\_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -  
D\_ANSC\_LINUX -D\_ANSC\_USER -D\_ANSC\_LITTLE\_ENDIAN -D\_CCSP\_CWMP\_TCP\_CONNREQ\_HANDLER -D\_DSLH\_STUN -  
D\_NO\_PKI\_KB5\_SUPPORT -D\_BBHM\_SSE\_FILE\_IO -D\_ANSC\_USE\_OPENSSL -DENABLE\_SA\_KEY -D\_ANSC\_AES\_USED -  
D\_COSA\_INTEL\_USG\_ARM -D\_COSA\_FOR\_COMCAST -D\_NO\_EXECINFO\_H -DFEATURE\_SUPPORT\_SYSLOG -DBUILD\_WEB -  
D\_NO\_ANSC\_ZLIB -D\_DEBUG -U\_ANSC\_IPV6\_COMPATIBLE -D\_COSA\_BCM\_ARM -DUSE\_NOTIFY\_COMPONENT -  
D\_PLATFORM\_RASPBERRYPI -DENABLE\_SD\_NOTIFY -UPARODUS\_ENABLE -D\_CONFIG\_VENDOR\_CUSTOMER\_COMCAST -  
DFEATURE\_RDKB\_WAN\_MANAGER -MT libCcspCommonLibrary\_AncPlatform\_la-user\_memory.lo -MD -MP -MF .deps  
/libCcspCommonLibrary\_AncPlatform\_la-user\_memory.Tpo -c ./../rdk/components/opensource/ccsp/CcspCommonLibrary  
/source/util\_api/ansc/AnscPlatform/user\_memory.c -fPIC -DPIC -o ./libs/libCcspCommonLibrary\_AncPlatform\_la-user\_memory.o  
| mv -f .deps/libCcspCommonLibrary\_AncPlatform\_la-ansc\_x509\_cert.Tpo .deps/libCcspCommonLibrary\_AncPlatform\_la-ansc\_x509\_cert.Plo  
| mv -f .deps/libCcspCommonLibrary\_AncPlatform\_la-ansc\_external.Tpo .deps/libCcspCommonLibrary\_AncPlatform\_la-ansc\_external.Plo  
| mv -f .deps/libCcspCommonLibrary\_AncPlatform\_la-user\_socket.Tpo .deps/libCcspCommonLibrary\_AncPlatform\_la-user\_socket.Plo  
| arm-rdk-linux-gnueabi-libtool: compile: arm-rdk-linux-gnueabi-gcc -mthumb -mfpu=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=  
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.  
99+git999-r0/recipe-sysroot -DHAVE\_CONFIG\_H -I. -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source  
util\_api/ansc/AnscPlatform -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include/linux -I.  
/../rdk/components/opensource/ccsp/CcspCommonLibrary/source/debug\_api/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa  
/utilities/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/custom -I./../rdk  
/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwsp/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/include -I./../rdk/components/opensource/ccsp  
/CcspCommonLibrary/source/cosa/package/bmw2/bree/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary  
/source/cosa/package/bmw2/beep/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package  
/bmw2/bwrm/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/system/include -I./../  
/rdk/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/dslh/include -I./../rdk/components  
/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/bmc2/include -I./../rdk/components/opensource  
/ccsp/CcspCommonLibrary/source/cosa/package/cli/include -I./../rdk/components/opensource/ccsp/CcspCommonLibrary

```
source/cosa/package/bmc2/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/MessageBusHelper/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/custom -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/tls/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscCrypto -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/stun/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/utilities/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/asn.1/include -D ANSC_LINUX -D ANSC_USER -D ANSC_LITTLE_ENDIAN -Os -pipe -g -feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot=/usr/include/rbus -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot-native=-DFEATURE_SUPPORT_RDKLOG -D GNU_SOURCE -D USE_XOPEN -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rtnetlink -Wall -Werror -Wextra -D_COSA_HAL -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D ANSC_LINUX -D ANSC_USER -D ANSC_LITTLE_ENDIAN -D CCSP_CWMP_TCP_CONNREQ_HANDLER -D DSLH_STUN -D NO_PKI_KB5_SUPPORT -D BBHM_SSE_FILE_IO -D ANSC_USE_OPENSSL -DENABLE_SA_KEY -D ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U ANSC_IPV6_COMPATIBLE -DINCLUDE_BREAKPAD -DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -DCCSP_SUPPORT_ENABLED -DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM -DDSLITE_FEATURE_SUPPORT -DDNS_BROADBANDFORUM -DDEVICE_GATEWAY_ASSOCIATION_FEATURE -DFEATURE_RDKB_WAN_MANAGER -DFEATURE_FWUPGRADE_MANAGER -DFEATURE_RDKB_GPON_MANAGER -DFEATURE_RDKB_XDSL_PPP_MANAGER -DRDKB_EXTENDER_ENABLED -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/libsafer -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -D ANSC_LINUX -D ANSC_USER -D ANSC_LITTLE_ENDIAN -D CCSP_CWMP_TCP_CONNREQ_HANDLER -D DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D ANSC_USE_OPENSSL -DENABLE_SA_KEY -D ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U ANSC_IPV6_COMPATIBLE -D_COSA_BCM_ARM -DUSE_NOTIFY_COMPONENT -D_PLATFORM_RASPBERRYPI -DENABLE_SD_NOTIFY_UPARODUS_ENABLE -DCONFIG_VENDOR_CUSTOMER_COMCAST -DFEATURE_RDKB_WAN_MANAGER -MT libCcspCommonLibrary_AnsPlatform_la-ansc_token.lo -MD -MP -MF .deps/libCcspCommonLibrary_AnsPlatform_la-ansc_token.Tpo -c ./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/ansc_token.c -o libCcspCommonLibrary_AnsPlatform_la-ansc_token.o >/dev/null 2>&1 | arm-rdk-linux-gnueabi-libtool: compile: arm-rdk-linux-gnueabi-gcc -mthumb -mfpu=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot -DHAVE_CONFIG_H -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include/linux -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/PoamIrepFolder -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/custom -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwsp/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bree/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/beep/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwrm/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/system/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/dslh/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/bmc2/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/cli/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmc2/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/MessageBusHelper/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/custom -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/tls/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscCrypto -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/stun/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/utilities/include -I./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/asn.1/include -D ANSC_LINUX -D ANSC_USER -D ANSC_LITTLE_ENDIAN -Os -pipe -g -feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot=/usr/include/rbus -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot-native=-DFEATURE_SUPPORT_RDKLOG -D GNU_SOURCE -D USE_XOPEN -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa72hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rtnetlink -Wall -Werror -Wextra -D_COSA_HAL -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D ANSC_LINUX -D ANSC_USER -D ANSC_LITTLE_ENDIAN -D CCSP_CWMP_TCP_CONNREQ_HANDLER -D DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D ANSC_USE_OPENSSL -DENABLE_SA_KEY -D ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U ANSC_IPV6_COMPATIBLE -D_COSA_BCM_ARM -DUSE_NOTIFY_COMPONENT -D_PLATFORM_RASPBERRYPI -DENABLE_SD_NOTIFY_UPARODUS_ENABLE -DCONFIG_VENDOR_CUSTOMER_COMCAST -DFEATURE_RDKB_WAN_MANAGER -MT libCcspCommonLibrary_AnsPlatform_la-ansc_token.lo -MD -MP -MF .deps/libCcspCommonLibrary_AnsPlatform_la-ansc_token.Tpo -c ./../..../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/ansc/AnscPlatform/ansc_token.c -o libCcspCommonLibrary_AnsPlatform_la-ansc_token.o >/dev/null 2>&1
```

```
raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rbus -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rtmessage -Wall -Werror -Wextra -D_COSA_HAL -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -DINCLUDE_BREAKPAD -DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -DCCSP_SUPPORT_ENABLED -DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM -DDSLITE_FEATURE_SUPPORT -DDNS_BROADBANDFORUM -DDEVICE_GATEWAY_ASSOCIATION_FEATURE -DFEATURE_RDKB_WAN_MANAGER -DFEATURE_FWUPGRADE_MANAGER -DFEATURE_RDKB_GPON_MANAGER -DFEATURE_RDKB_XDSL_PPP_MANAGER -DRDKB_EXTENDER_ENABLED -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/libsafe -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -D_COSA_BCM_ARM -DUSE_NOTIFY_COMPONENT -D_PLATFORM_RASPBERRYPI -DENABLE_SD_NOTIFY_UPARODUS_ENABLE -DCONFIG_VENDOR_CUSTOMER_COMCAST -DFEATURE_RDKB_WAN_MANAGER -MT libCcspCommonLibrary_AnsclPlatform_la-user_memory.lo -MD -MP -MF .deps/libCcspCommonLibrary_AnsclPlatform_la-user_memory.Tpo -c ...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/anscl/AncPlatform/user_memory.c -o libCcspCommonLibrary_AnsclPlatform_la-user_memory.o >/dev/null 2>&1 | arm-rdk-linux-gnueabi-libtool: compile: arm-rdk-linux-gnueabi-gcc -mthumb -mfpu=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot -DHAVE_CONFIG_H -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/anscl/AncPlatform -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include/linux -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/PoamRepFolder -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/utilities/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/custom -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bree/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/beep/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/bmw2/bwrm/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/system/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/dslh/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/cosa/package/slap/services/bmc2/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/csa/package/cli/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/csa/package/bmc2/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/debug_api/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/components/common/MessageBusHelper/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/ccsp/custom -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/anscl/AncCrypto -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/web/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/anscl/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/stun/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/http/utilities/include -I...../rdkdb/components/opensource/ccsp/CcspCommonLibrary/source/util_api/asn.1/include -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -Os -pipe -g -feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0=/usr/src/debug/ccsp-common-library/1.99+git999-r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot= -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot-native= -DFEATURE_SUPPORT_RDKLOG -D_GNU_SOURCE -D_USE_XOPEN -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/dbus-1.0 -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/lib/dbus-1.0/include -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/rtmessage -Wall -Werror -Wextra -D_COSA_HAL -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -DCONFIG_SYSTEM_MOCA -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED -D_COSA_INTEL_USG_ARM -D_COSA_FOR_COMCAST -D_NO_EXECINFO_H -DFEATURE_SUPPORT_SYSLOG -DBUILD_WEB -D_NO_ANSC_ZLIB -D_DEBUG -U_ANSC_IPV6_COMPATIBLE -DINCLUDE_BREAKPAD -DUSE_NOTIFY_COMPONENT -DNTPD_ENABLE -DUTC_ENABLE -DXDNS_ENABLE -DMOCA_HOME_ISOLATION -DCCSP_SUPPORT_ENABLED -DFEATURE_SUPPORT_ONBOARD_LOGGING -D_RDK_REF_PLATFORM -DDSLITE_FEATURE_SUPPORT -DDNS_BROADBANDFORUM -DDEVICE_GATEWAY_ASSOCIATION_FEATURE -DFEATURE_RDKB_WAN_MANAGER -DFEATURE_FWUPGRADE_MANAGER -DFEATURE_RDKB_GPON_MANAGER -DFEATURE_RDKB_XDSL_PPP_MANAGER -DRDKB_EXTENDER_ENABLED -I/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/ccsp-common-library/1.99+git999-r0/recipe-sysroot/usr/include/libsafe -U_COSA_SIM -fno-exceptions -ffunction-sections -fdata-sections -fomit-frame-pointer -fno-strict-aliasing -D_ANSC_LINUX -D_ANSC_USER -D_ANSC_LITTLE_ENDIAN -D_CCSP_CWMP_TCP_CONNREQ_HANDLER -D_DSLH_STUN -D_NO_PKI_KB5_SUPPORT -D_BBHM_SSE_FILE_IO -D_ANSC_USE_OPENSSL -DENABLE_SA_KEY -D_ANSC_AES_USED
```



```
ERROR: gettext-0.16.1-r6 do_compile: oe_runmake failed
ERROR: gettext-0.16.1-r6 do_compile: Execution of '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/temp/run.do_compile.8184' failed with exit code 1
ERROR: Logfile of failure stored in: /home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/temp/log.do_compile.8184
Log data follows:
| DEBUG: Executing python function autotools_aclocals
| DEBUG: SITE files ['endian-little', 'bit-32', 'arm-common', 'arm-32', 'common-linux', 'common-glibc', 'arm-linux', 'arm-linux-gnueabi', 'common']
| DEBUG: Python function autotools_aclocals finished
| DEBUG: Executing shell function do_compile
| NOTE: make
| Making all in gnulib-local
| make[1]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gnulib-local'
| make[1]: Nothing to be done for 'all'.
| make[1]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gnulib-local'
| Making all in gettext-runtime
| make[1]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime'
| make all-recursive
| make[2]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime'
| Making all in doc
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/doc'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/doc'
| Making all in intl
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl'
| Making all in intl-java
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl-java'
| cd ../../../gettext-0.16.1/gettext-runtime/intl-java && test ! -d /usr/lib/jdk1.1.8 || env PATH=/usr/lib/jdk1.1.8/bin:$PATH javadoc -d javadoc1 gnu/gettext/*.java
| cd ../../../gettext-0.16.1/gettext-runtime/intl-java && test ! -d /usr/lib/jdk1.3.1 || env PATH=/usr/lib/jdk1.3.1/bin:$PATH javadoc -d javadoc2 gnu/gettext/*.java
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl-java'
| Making all in intl-csharp
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl-csharp'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/intl-csharp'
| Making all in gnulib-lib
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/gnulib-lib'
| make all-am
| make[4]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/gnulib-lib'
| make[4]: Nothing to be done for 'all-am'.
| make[4]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/gnulib-lib'
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/gnulib-lib'
| Making all in src
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/src'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/src'
| Making all in po
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/po'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/po'
| Making all in man
| make[3]: Entering directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/man'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtisl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.16.1-r6/build/gettext-runtime/man'
```

```

| Making all in m4
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime/m4'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime/m4'
| Making all in tests
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime/tests'
| make[3]: Nothing to be done for 'all'.
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime/tests'
| make[3]: Entering directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime'
| make[3]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime'
| make[2]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime'
| make[1]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-runtime'
| Making all in gettext-tools
| make[1]: Entering directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-tools'
| make[1]: *** No rule to make target 'all'. Stop.
| make[1]: Leaving directory '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext
/0.16.1-r6/build/gettext-tools'
| Makefile:372: recipe for target 'all-recursive' failed
| make: *** [all-recursive] Error 1
| ERROR: oe_runmake failed
| WARNING: exit code 1 from a shell command.
| ERROR: Execution of '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/gettext/0.
16.1-r6/temp/run.do_compile.8184' failed with exit code 1
ERROR: Task (/home/chtsl00463/Workspace/meta-gplv2/recipes-core/gettext/gettext_0.16.1.bb:do_compile) failed with exit code '1'
ERROR: neon-0.30.2-r0 do_compile: oe_runmake failed
ERROR: neon-0.30.2-r0 do_compile: Execution of '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-
linux-gnueabi/neon/0.30.2-r0/temp/run.do_compile.8257' failed with exit code 1
ERROR: Logfile of failure stored in: /home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi
/neon/0.30.2-r0/temp/log.do_compile.8257
Log data follows:
| DEBUG: Executing python function autotools_aclocals
| DEBUG: SITE files ['endian-little', 'bit-32', 'arm-common', 'arm-32', 'common-linux', 'common-glibc', 'arm-linux', 'arm-linux-gnueabi', 'common']
| DEBUG: Python function autotools_aclocals finished
| DEBUG: Executing shell function do_compile
| NOTE: make -j 8
| make: *** No targets. Stop.
| ERROR: oe_runmake failed
| WARNING: exit code 1 from a shell command.
| ERROR: Execution of '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/neon/0.30.2-
r0/temp/run.do_compile.8257' failed with exit code 1
ERROR: Task (/home/chtsl00463/Workspace/meta-openembedded/meta-oe/recipes-support/neon/neon_0.30.2.bb:do_compile) failed with exit code '1'
ERROR: logrotate-3.15.1-r0 do_compile: oe_runmake failed
ERROR: logrotate-3.15.1-r0 do_compile: Execution of '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-
rdk-linux-gnueabi/logrotate/3.15.1-r0/temp/run.do_compile.8259' failed with exit code 1
ERROR: Logfile of failure stored in: /home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi
/logrotate/3.15.1-r0/temp/log.do_compile.8259
Log data follows:
| DEBUG: Executing python function autotools_aclocals
| DEBUG: SITE files ['endian-little', 'bit-32', 'arm-common', 'arm-32', 'common-linux', 'common-glibc', 'arm-linux', 'arm-linux-gnueabi', 'common']
| DEBUG: Python function autotools_aclocals finished
| DEBUG: Executing shell function do_compile
| NOTE: make -j 8 LFS= OS_NAME=Linux CC=arm-rdk-linux-gnueabi-gcc -mthumb -mcpu=neon-vfpv4 -mfloat-abi=hard -mcpu=cortex-a7 --sysroot=
/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/logrotate/3.15.1-r0/recipe-sysroot
RPM_OPT_FLAGS= -Os -pipe -g -feliminate-unused-debug-types -fmacro-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp
/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/logrotate/3.15.1-r0=/usr/src/debug/logrotate/3.15.1-r0 -fdebug-prefix-map=/home/chtsl00463
/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/logrotate/3.15.1-r0=/usr/src/debug/logrotate/3.15.1-
r0 -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi
/logrotate/3.15.1-r0/recipe-sysroot= -fdebug-prefix-map=/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work
/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/logrotate/3.15.1-r0/recipe-sysroot-native= EXTRA_LDFLAGS=-Wl,-O1 -Wl,--hash-style=gnu -Wl,--as-needed
| make: *** No targets. Stop.
| ERROR: oe_runmake failed
| WARNING: exit code 1 from a shell command.
| ERROR: Execution of '/home/chtsl00463/Workspace/build-raspberrypi4-rdk-broadband/tmp/work/cortexa7t2hf-neon-vfpv4-rdk-linux-gnueabi/logrotate/3.
15.1-r0/temp/run.do_compile.8259' failed with exit code 1
ERROR: Task (/home/chtsl00463/Workspace/openembedded-core/meta/recipes-extended/logrotate/logrotate_3.15.1.bb:do_compile) failed with exit code
'1'
WARNING: ccsp-common-library-1.99+git999-r0 do_configure: QA Issue: ccsp-common-library: configure was passed unrecognized options: --with-ccsp-
platform --with-ccsp-arch [unknown-configure-option]
NOTE: Tasks Summary: Attempted 2961 tasks of which 2951 didn't need to be rerun and 3 failed.
NOTE: Writing buildhistory

```



NOTE: Writing buildhistory took: 2 seconds

Summary: 3 tasks failed:

/home/chtst00463/Workspace/meta-gplv2/recipes-core/gettext/[gettext\\_0.16.1.bb](#):do\_compile

/home/chtst00463/Workspace/meta-openembedded/meta-oe/recipes-support/neon/[neon\\_0.30.2.bb](#):do\_compile

/home/chtst00463/Workspace/openembedded-core/meta/recipes-extended/logrotate/[logrotate\\_3.15.1.bb](#):do\_compile