RDK6 Release Notes





RDK6 is the newest open source software release, supporting both IP and Hybrid video platforms. It integrates over-the-top (OTT) video apps through the FireboltTM framework, standardizing interfaces for video playback, digital rights management (DRM), graphics, and security. RDK6 builds upon previous RDK releases to further simplify app development, enhance security, and standardize functionality across diverse set-top box hardware.

Key capabilities and benefits of RDK6 include:

- Support for various DRM solutions, video security integrations, and the WebKit browser
- Improved efficiency of video app integration and core video functionality management across chipsets and device manufacturers
- An updated certification suite to ensure consistency and performance of your devices
- Device-agnostic downloadable application containers for native video apps and AppArmorbased access control
- Containerized browser instances for LightningTM or HTML5 streaming apps
- Unified Application Interface with Firebolt

Key features of RDK6:


- Pre-certified apps package includes pre-installed apps such as YouTube, Amazon Prime, and Alexa
- Voice search and pre-integrated voice remotes
- Updated RDK Reference UI Lightning-based interface for RDK Reference devices and video accelerators
- Firebolt Standardized specification for integrating Native and web applications
- Unified player interface for IP, OTT, and hybrid devices
- · Security enhancement using app sandboxing (Containerization) and access control (AppArmor)
- Device management using firmware upgrade, Telemetry, WebPA.

In this page:

- Platforms supported:
 - Raspberry Pi 4
 - IP STB 72180 HBC
 - o IP STB M393
 - IP STB AH 212IP TV AT 301
 - IP TV AT 301
 IP STB HX44X
 - IP STB 1319 Hank
 - IP STB Blade
- New Features:

Architecture Overview:

A quick architecture overview of RDK6 to help associate the capabilities with the software stack is given below





Access restrictions

Links to individual platforms are access restricted. Please login for better user experience. If you do not have an account, please signup at h ttps://wiki.rdkcentral.com/signup.action . If you have logged in but not able to view the page, please contact support@rdkcentral.com

Platforms supported:



For details of how to get the source code, test coverage & test report and known issues in each platform, please click the hyper link. If you do not have an account, please signup at https://wiki.rdkcentral.com/signup.action . If you are logged in but not able to view the page, please contact support@rdkcentral.com

Platform	Туре	soc	OEM
Raspberry Pi 4	Generic Reference device	Broadcom	Raspberry Pi Foundation
IP STB 72180 HBC	SOC Reference device	Broadcom	NA
IP STB M393	Video Accelerator	Broadcom	Sagemcom
IP STB AH 212	SOC Reference device	Amlogic	NA
IP TV AT 301	SOC Reference device	Amlogic	NA
IP STB HX44X	Video Accelerator	Amlogic	Skyworth
IP STB 1319 Hank	SOC Reference device	Realtek	NA
IP STB Blade	Video Accelerator	Realtek	Sercomm

New Features:

Category	Sub -category	Version details	
Streaming apps	Amazon Prime	V4	
	YouTube	YT 23	
Framework	Firebolt	V1.0	
	Ripple	Reference implementation for Firebolt 1.0	
	Lightning	V2.8	
	QT for BLE	V5.1.1 OSS version	
	Core Thunder framework	Version R2.1	
		Version R4.2 (Beta)	
	Browser - WPEWebkit	V2.28	
		V2.38(Beta)	
Screen cast	DIAL	V2.2.1	
Security	DAC (Containerization)		
	Dobby		
		,	

	Rialto		
	Packager (Lisa)		
	AppArmor		
Graphics	Rendering	ESSOS with Westeros	
	Graphics	OpenGL ES	
Gstreamer	Gstreamer	1.18	
CAS, DRM & Content protection	PlayReady	4.4	
	Widevine	Widevine 16	
	CAS	AnyCAS	
Build & Platform	Yocto version	Yocto 3.1 (Dunfell)	
	Kernel	Android common kernel	
		Raspberry Pi - 5.10	
		Broadcom - 5.15-1.0	
		Realtek - 5.10	
		Amlogic - 5.4	
	Init system	Systemd v244 (Yocto 3.1)	
	Application Manager	RDK Shell	
	Broadcom	V23.0.1	
	AmLogic BSP	5.1	
	Realtek BSP	6.3	
Video Player	IP	UVE (AAMP)	
	QAM	UVE via RMF (QAMSrc)	
	DVB (DTVKit)	Sessionmanager via RMF	
	TSB	Fog	
	DAC Apps	RIALTO	
Remote Control and Voice	Voice Stack		
	BLE voice remote		
	External Audio support		
Networking	Wi-Fi		
	LAN		
Device Management	Telemetry	2.0	
	Feature Control		
	Firmware Upgrade		
	WebPA		
UI/UX	Reference App	3.15.19	
Digital Assistant (Voice)	Alexa (Push to talk)	Alexa SDK 3.0.0	